

## 1.A.4.b ii - Residential: Household and Gardening: Mobile

### Short description

Under sub-category *1.A.4.b ii - Residential: Mobile Sources in Households and Gardening* fuel combustion activities and resulting emissions from combustion engine driven devices such as motor saws and lawn mowers are being reported.



| Method | AD    | EF       | Key Category Analysis |
|--------|-------|----------|-----------------------|
| T1, T2 | NS, M | CS, M, D | L/T: CO               |

image Lawnmower.PNG size="small"

### Methodology

#### Activity data

Activity data are taken from annual fuel deliveries data provided in line 66: 'Households' of the National Energy Balances (NEB) for Germany (AGEB, 2020) <sup>1)</sup>.

Table 1: Sources for consumption data in 1.A.4.b ii

| Relevant years | Data Source                                                |
|----------------|------------------------------------------------------------|
| through 1994   | <b>AGEB</b> - National Energy Balance, line 79: Households |
| since 1995     | <b>AGEB</b> - National Energy Balance, line 66: Households |

Here, given the rare statistics on sold machinery, these activity data is of limited quality only (no annual but cascaded trend).

As the NEB only provides primary activity data for *total biomass* used in 'households', but does not distinguish into specific biofuels, consumption data for bioethanol used in NFR 1.A.4.b ii are calculated by applying Germany's official annual shares of biogasoline blended to fossil gasoline.


Please note: *Data on gasoline used in households* as provided in the National Energy Balances represents a "residual item" following the allocation of the majority of this fuel to road and military vehicles. Here, fuel sales to road vehicles might also include gasoline acquired on filling stations but used for household equipment.

Due to these reasons, activity data for gasoline consumption in households machinery and, hence, several emission estimates *show no realistic trend but a stepwise development* with significant jumps.

Table 2: Annual over-all fuel deliveries to residential mobile sources, in terajoules

|                     | 1990         | 1995         | 2000         | 2005         | 2010         | 2011         | 2012         | 2013         | 2014         | 2015         | 2016         | 2017         | 2018         | 2019         | 2020         |
|---------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| <b>Gasoline</b>     | 2,177        | 2,395        | 2,395        | 2,395        | 3,379        | 4,069        | 3,995        | 3,720        | 3,946        | 4,228        | 4,228        | 4,228        | 4,228        | 4,228        | 4,055        |
| <b>Biogasoline</b>  | 0            | 0            | 0            | 16           | 131          | 167          | 177          | 159          | 172          | 183          | 184          | 178          | 190          | 182          | 183          |
| <b>Σ 1.A.4.b ii</b> | <b>2,177</b> | <b>2,395</b> | <b>2,395</b> | <b>2,411</b> | <b>3,510</b> | <b>4,236</b> | <b>4,172</b> | <b>3,879</b> | <b>4,118</b> | <b>4,411</b> | <b>4,412</b> | <b>4,406</b> | <b>4,418</b> | <b>4,410</b> | <b>4,238</b> |

source: AGEb, 2020 <sup>2)</sup> and TREMOD MM <sup>3)</sup>



These primary activity data can be distributed onto 2- and 4-stroke engines used in households via annual shares from Knörr et al. (2020b) <sup>4)</sup>.

Table 3: Annual shares of 2- and 4-stroke engines

|                           | 1990        | 1995        | 2000        | 2005        | 2010        | 2011        | 2012        | 2013        | 2014        | 2015        | 2016        | 2017        | 2018        | 2019        | 2020        |
|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| <b>2-Stroke Machinery</b> | 25,0%       | 43,7%       | 58,4%       | 61,8%       | 66,0%       | 66,4%       | 67,0%       | 67,3%       | 67,3%       | 67,3%       | 67,3%       | 67,3%       | 67,3%       | 67,2%       | 67,2%       |
| <b>4-Stroke Machinery</b> | 63,7%       | 44,2%       | 29,5%       | 27,0%       | 23,3%       | 22,7%       | 21,6%       | 20,8%       | 20,5%       | 20,3%       | 20,0%       | 19,8%       | 19,6%       | 19,5%       | 19,4%       |
| <b>2-Stroke Boats</b>     | 10,1%       | 10,3%       | 8,80%       | 5,61%       | 2,16%       | 2,19%       | 2,23%       | 2,28%       | 2,31%       | 2,34%       | 2,37%       | 2,39%       | 2,40%       | 2,41%       | 2,43%       |
| <b>4-Stroke Boats</b>     | 1,2%        | 1,8%        | 3,3%        | 5,6%        | 8,5%        | 8,8%        | 9,2%        | 9,5%        | 9,8%        | 10,1%       | 10,3%       | 10,5%       | 10,7%       | 10,9%       | 11,0%       |
|                           | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> | <b>100%</b> |

source: TREMOD MM <sup>5)</sup>

Table 4: Resulting estimates for fuel consumption in 2- and 4-stroke engines, in terajoules

|  | 1990 | 1995 | 2000 | 2005 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

|                           |              |              |              |              |              |              |              |              |              |              |              |              |              |              |              |
|---------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| <b>2-stroke machinery</b> |              |              |              |              |              |              |              |              |              |              |              |              |              |              |              |
| <b>Gasoline</b>           | 1,387        | 1,058        | 705          | 646          | 787          | 922          | 861          | 775          | 810          | 857          | 847          | 838          | 830          | 824          | 786          |
| <b>Biogasoline</b>        | 0.00         | 0.00         | 0.00         | 4.44         | 30.4         | 37.8         | 38.2         | 33.2         | 35.2         | 37.2         | 36.8         | 35.3         | 37.3         | 35.5         | 35.4         |
| <b>4-stroke machinery</b> |              |              |              |              |              |              |              |              |              |              |              |              |              |              |              |
| <b>Gasoline</b>           | 545          | 1,046        | 1,400        | 1,480        | 2,231        | 2,700        | 2,677        | 2,505        | 2,656        | 2,844        | 2,844        | 2,844        | 2,843        | 2,842        | 2,724        |
| <b>Biogasoline</b>        | 0.00         | 0.00         | 0.00         | 10.2         | 86.2         | 111          | 119          | 107          | 116          | 123          | 124          | 120          | 128          | 123          | 123          |
| <b>2-stroke boats</b>     |              |              |              |              |              |              |              |              |              |              |              |              |              |              |              |
| <b>Gasoline</b>           | 220          | 248          | 211          | 134          | 73,1         | 88,9         | 89,2         | 84,7         | 91,2         | 99,1         | 100          | 101          | 102          | 102          | 98.5         |
| <b>Biogasoline</b>        | 0.00         | 0.00         | 0.00         | 0.92         | 2.82         | 3.64         | 3.95         | 3.63         | 3.97         | 4.30         | 4.35         | 4.25         | 4.57         | 4.40         | 4.43         |
| <b>4-stroke boats</b>     |              |              |              |              |              |              |              |              |              |              |              |              |              |              |              |
| <b>Gasoline</b>           | 25,6         | 43,0         | 79,2         | 134          | 287          | 358          | 367          | 355          | 388          | 428          | 437          | 446          | 453          | 460          | 447          |
| <b>Biogasoline</b>        | 0.00         | 0.00         | 0.00         | 0.92         | 11.1         | 14.7         | 16.3         | 15.2         | 16.9         | 18.5         | 19.0         | 18.8         | 20.4         | 19.8         | 20.1         |
| <b>Σ 1.A.4.b ii</b>       | <b>2,177</b> | <b>2,395</b> | <b>2,395</b> | <b>2,411</b> | <b>3,510</b> | <b>4,236</b> | <b>4,172</b> | <b>3,879</b> | <b>4,118</b> | <b>4,411</b> | <b>4,412</b> | <b>4,406</b> | <b>4,418</b> | <b>4,410</b> | <b>4,238</b> |

## Emission factors

The emission factors used here are of rather different quality: For all **main pollutants, carbon monoxide** and **particulate matter**, annually changing values computed within TREMOD-MM (Knörr et al. (2020b)) <sup>6)</sup> are used, representing the development of mitigation technologies and the effect of fuel-quality legislation.

Here, as no such specific EF are available for biofuels, the values used for gasoline are applied to bioethanol, too.

For lead (Pb) from leaded gasoline and corresponding TSP emissions, additional emissions are calculated from 1990 to 1997 based upon country-specific emission factors from <sup>7)</sup>.)

Table 4: Annual country-specific emission factors from TREMOD MM<sup>1</sup>, in kg/TJ

|                                     | 1990   | 1995   | 2000   | 2005   | 2010   | 2011   | 2012   | 2013   | 2014   | 2015   | 2016   | 2017   | 2018   | 2019   | 2020 |
|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| <b>4-stroke machinery</b>           |        |        |        |        |        |        |        |        |        |        |        |        |        |        |      |
| <b>NH<sub>3</sub></b>               | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   |      |
| <b>NM<sub>VOC</sub><sup>2</sup></b> | 475    | 1.289  | 1.604  | 1.651  | 1.647  | 1.646  | 1.645  | 1.643  | 1.641  | 1.638  | 1.635  | 1.632  | 1.628  | 1.624  |      |
| <b>NM<sub>VOC</sub><sup>3</sup></b> | 727    | 819    | 809    | 783    | 774    | 771    | 769    | 767    | 765    | 763    | 762    | 761    | 760    | 756    |      |
| <b>NO<sub>x</sub></b>               | 51,0   | 85,3   | 103    | 108    | 122    | 124    | 126    | 129    | 131    | 132    | 133    | 134    | 135    | 133    |      |
| <b>SO<sub>x</sub></b>               | 10,1   | 8,27   | 3,22   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   |      |
| <b>BC<sup>5</sup></b>               | 0,31   | 0,27   | 0,24   | 0,23   | 0,24   | 0,25   | 0,25   | 0,25   | 0,26   | 0,26   | 0,26   | 0,26   | 0,26   | 0,26   |      |
| <b>PM<sup>4</sup></b>               | 6,29   | 5,46   | 4,85   | 4,62   | 4,87   | 4,94   | 5,00   | 5,06   | 5,11   | 5,15   | 5,19   | 5,22   | 5,24   | 5,25   |      |
| <b>CO</b>                           | 39.998 | 32.154 | 28.346 | 27.161 | 27.992 | 28.278 | 28.555 | 28.813 | 29.047 | 29.249 | 29.418 | 29.548 | 29.647 | 29.614 |      |
| <b>2-stroke machinery</b>           |        |        |        |        |        |        |        |        |        |        |        |        |        |        |      |
| <b>NH<sub>3</sub></b>               | 0,07   | 0,07   | 0,07   | 0,07   | 0,07   | 0,08   | 0,08   | 0,08   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   | 0,09   |      |
| <b>NM<sub>VOC</sub><sup>2</sup></b> | 6.126  | 5.914  | 5.879  | 5.816  | 5.835  | 5.372  | 4.327  | 3.635  | 3.473  | 3.315  | 3.164  | 3.024  | 2.900  | 2.796  |      |
| <b>NM<sub>VOC</sub><sup>3</sup></b> | 1.387  | 1.129  | 510    | 392    | 280    | 288    | 305    | 317    | 321    | 325    | 328    | 331    | 334    | 335    |      |
| <b>NO<sub>x</sub></b>               | 19,8   | 25,7   | 36,3   | 53,4   | 63,8   | 61,9   | 57,1   | 55,0   | 55,9   | 56,8   | 57,5   | 58,2   | 58,7   | 59,2   |      |
| <b>SO<sub>x</sub></b>               | 10,10  | 8,27   | 3,22   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   | 0,37   |      |
| <b>BC<sup>5</sup></b>               | 6,91   | 6,14   | 5,13   | 4,93   | 4,79   | 4,93   | 5,22   | 5,41   | 5,49   | 5,55   | 5,61   | 5,67   | 5,71   | 5,75   |      |
| <b>PM<sup>4</sup></b>               | 138    | 123    | 103    | 99     | 96     | 99     | 104    | 108    | 110    | 111    | 112    | 113    | 114    | 115    |      |
| <b>CO</b>                           | 20.270 | 18.743 | 16.255 | 15.483 | 14.699 | 15.068 | 15.891 | 16.438 | 16.618 | 16.797 | 16.967 | 17.125 | 17.266 | 17.385 |      |
| <b>2- and 4-stroke machinery</b>    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |      |
| <b>TSP<sup>6</sup></b>              | 2,35   | 0,82   |        |        |        |        |        |        |        |        |        |        |        |        |      |
| <b>Pb</b>                           | 1,47   | 0,52   |        |        |        |        |        |        |        |        |        |        |        |        |      |

<sup>1</sup> due to lack of better information: similar EF are applied for fossil and biofuels

<sup>2</sup> from fuel combustion

<sup>3</sup> from gasoline evaporation

<sup>4</sup> EF(PM<sub>2,5</sub>) also applied for PM<sub>10</sub> and TSP (assumption: > 99% of TSP consists of PM<sub>2,5</sub>)

<sup>5</sup> estimated via a f-BCs as provided in <sup>8)</sup>, Chapter 1.A.2.g vii, 1.A.4.a ii, b ii, c ii, 1.A.5.b i - Non-road, note to Table 3-1: Tier 1 emission factors for off-road machinery

<sup>6</sup> from leaded gasoline (until 1997)



With respect to the emission factors applied for particulate matter, given the circumstances during test-bench measurements, condensables are most likely included at least partly. <sup>9)</sup>

For lead (Pb) from leaded gasoline and corresponding TSP emissions, additional emissions are calculated from 1990 to 1997 based upon country-specific emission factors from <sup>10)</sup>.

**NOTE:** For the country-specific emission factors applied for particulate matter, no clear indication is available, whether or not condensables are included.

For information on the **emission factors for heavy-metal and POP exhaust emissions**, please refer to Appendix 2.3 - Heavy Metal (HM) exhaust emissions from mobile sources and Appendix 2.4 - Persistent Organic Pollutant (POP) exhaust emissions from mobile sources.

## Discussion of emission trends


Table: Outcome of Key Category Analysis

|      |               |
|------|---------------|
| for: | <b>CO</b>     |
| by:  | Level & Trend |

Given the limited quality of gasoline-deliveries data from NEB line 66, the following emission trends are of limited significance only.

### Unregulated pollutants (Ammonia, HMs, POPs, ...)


For all unregulated pollutants, emission trends directly follow the trend in fuel consumption.



Here, as the emission factors for heavy metals (and POPs) are derived from tier1 default values, the emission's trend is strongly influenced by the share of 2-stroke gasoline fuel (containing lube oil with presumably higher HM content) consumed.

**Regulated pollutants**

For all regulated pollutants, emission trends follow not only the trend in fuel consumption but also reflect the impact of fuel-quality and exhaust-emission legislation. However, especially for CO and NOx, trends are strongly influenced by the changes in annual fuel deliveries as provided in NEB line 66.





|                        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>Submission 2022</b> | 0,64   | 0,44   | 0,29   | 0,27   | 0,23   | 0,23   | 0,22   | 0,21   | 0,21   | 0,20   | 0,20   | 0,20   | 0,20   | 0,19   |
| <b>Submission 2021</b> | 0,72   | 0,50   | 0,34   | 0,30   | 0,26   | 0,25   | 0,24   | 0,24   | 0,23   | 0,23   | 0,23   | 0,23   | 0,23   | 0,22   |
| <b>absolute change</b> | -0,08  | -0,06  | -0,04  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  | -0,03  |
| <b>relative change</b> | -11,3% | -12,1% | -12,1% | -11,2% | -10,7% | -11,0% | -11,4% | -11,8% | -12,2% | -12,5% | -12,7% | -12,9% | -13,1% | -13,3% |
| <b>2-stroke boats</b>  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| <b>Submission 2022</b> | 0,01   | 0,02   | 0,03   | 0,06   | 0,09   | 0,09   | 0,09   | 0,10   | 0,10   | 0,10   | 0,10   | 0,11   | 0,11   | 0,11   |
| <b>Submission 2021</b> | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   |
| <b>4-stroke boats</b>  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| <b>Submission 2022</b> | 0,10   | 0,10   | 0,09   | 0,06   | 0,02   | 0,02   | 0,02   | 0,02   | 0,02   | 0,02   | 0,02   | 0,02   | 0,02   | 0,02   |
| <b>Submission 2021</b> | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   | 0,00   |

Table 5: Resulting revised annual fuel consumptions of 2- and 4-stroke engines

|                           | 1990  | 1995  | 2000  | 2005   | 2010   | 2011   | 2012   | 2013   | 2014   | 2015   | 2016   | 2017   | 2018   | 2019 |
|---------------------------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| <b>2-stroke machinery</b> |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>Submission 2022</b>    | 1.563 | 1.204 | 803   | 733    | 915    | 1.078  | 1.015  | 917    | 963    | 1.021  | 1.012  | 1.003  | 961    |      |
| <b>Submission 2021</b>    | 1.563 | 1.204 | 803   | 754    | 955    | 1.128  | 1.065  | 962    | 1.010  | 1.072  | 1.062  | 1.053  | 1.009  |      |
| <b>absolute change</b>    | 0,00  | 0,00  | 0,00  | -21,2  | -40,0  | -50,1  | -49,1  | -45,3  | -47,7  | -50,6  | -49,9  | -50,1  | -48,1  |      |
| <b>relative change</b>    | 0,00% | 0,00% | 0,00% | -2,81% | -4,19% | -4,44% | -4,62% | -4,70% | -4,73% | -4,72% | -4,70% | -4,76% | -4,77% |      |
| <b>4-stroke machinery</b> |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>Submission 2022</b>    | 614   | 1.191 | 1.592 | 1.679  | 2.594  | 3.158  | 3.157  | 2.963  | 3.155  | 3.390  | 3.399  | 3.404  | 3.292  |      |
| <b>Submission 2021</b>    | 614   | 1.191 | 1.592 | 1.658  | 2.554  | 3.108  | 3.108  | 2.917  | 3.107  | 3.340  | 3.349  | 3.354  | 3.244  |      |
| <b>absolute change</b>    | 0,00  | 0,00  | 0,00  | 21,20  | 40,03  | 50,09  | 49,13  | 45,26  | 47,74  | 50,63  | 49,89  | 50,11  | 48,11  |      |
| <b>relative change</b>    | 0,00% | 0,00% | 0,00% | 1,28%  | 1,57%  | 1,61%  | 1,58%  | 1,55%  | 1,54%  | 1,52%  | 1,49%  | 1,49%  | 1,48%  |      |
| <b>2-stroke boats</b>     |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>Submission 2022</b>    |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>Submission 2021</b>    |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>absolute change</b>    |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>4-stroke boats</b>     |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>Submission 2022</b>    |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>Submission 2021</b>    |       |       |       |        |        |        |        |        |        |        |        |        |        |      |
| <b>absolute change</b>    |       |       |       |        |        |        |        |        |        |        |        |        |        |      |

In addition, several annual country-specific **emission factors** have been revised according to changes within TREMOD but cannot be displayed here in a comprehensible way.



For pollutant-specific information on recalculated emission estimates for Base Year and 2018, please see the pollutant specific recalculation tables following [chapter 8.1 - Recalculations](#).

## Uncertainties

Uncertainty estimates for **activity data** of mobile sources derive from research project FKZ 360 16 023 (Knörr et al. (2009))<sup>12)</sup>: "Ermittlung der Unsicherheiten der mit den Modellen TREMOD und TREMOD-MM berechneten Luftschadstoffemissionen des landgebundenen Verkehrs in Deutschland".

Uncertainty estimates for **emission factors** were compiled during the PAREST research project. Here, the final report has

not yet been published.

## Planned improvements

Besides a **routine revision** of the **TREMOD MM** model, no specific improvements are planned.

## FAQs

### *Why are similar EF applied for estimating exhaust heavy metal emissions from both fossil and biofuels?*

The EF provided in <sup>13)</sup> represent summatory values for (i) the fuel's and (ii) the lubricant's heavy-metal content as well as (iii) engine wear. Here, there might be no heavy metal contained in biofuels. But since the specific shares of (i), (ii) and (iii) cannot be separated, and since the contributions of lubricant and engine wear might be dominant, the same emission factors are applied to biodiesel and bioethanol.

---

<sup>1), 2)</sup> AGEb, 2020: Working Group on Energy Balances (Arbeitsgemeinschaft Energiebilanzen (Hrsg.), AGEb): Energiebilanz für die Bundesrepublik Deutschland; URL: <http://www.ag-energiebilanzen.de/7-0-Bilanzen-1990-2018.html>, (Aufruf: 29.11.2020), Köln & Berlin, 2020

<sup>3), 4), 5), 6), 7)</sup> Knörr et al. (2020b): Knörr, W., Heidt, C., Gores, S., & Bergk, F.: ifeu Institute for Energy and Environmental Research (Institut für Energie- und Umweltforschung Heidelberg gGmbH, ifeu): Aktualisierung des Modells TREMOD-Mobile Machinery (TREMOM MM) 2020, Heidelberg, 2020.

<sup>8), 10), 11)</sup> EMEP/EEA, 2019: EMEP/EEA air pollutant emission inventory guidebook – 2019, Copenhagen, 2019.

<sup>9)</sup> During test-bench measurements, temperatures are likely to be significantly higher than under real-world conditions, thus reducing condensation. On the contrary, smaller dilution (higher number of primary particles acting as condensation germs) together with higher pressures increase the likeliness of condensation. So over-all condensables are very likely to occur but different to real-world conditions.

<sup>12)</sup> Knörr et al. (2009): Knörr, W., Heldstab, J., & Kasser, F.: Ermittlung der Unsicherheiten der mit den Modellen TREMOD und TREMOD-MM berechneten Luftschadstoffemissionen des landgebundenen Verkehrs in Deutschland; final report; URL: <https://www.umweltbundesamt.de/sites/default/files/medien/461/publikationen/3937.pdf>, FKZ 360 16 023, Heidelberg & Zürich, 2009.

<sup>13)</sup> Rentz et al., 2008: Nationaler Durchführungsplan unter dem Stockholmer Abkommen zu persistenten organischen Schadstoffen (POPs), im Auftrag des Umweltbundesamtes, FKZ 205 67 444, UBA Texte | 01/2008, January 2008 - URL: <http://www.umweltbundesamt.de/en/publikationen/nationaler-durchfuehrungsplan-unter-stockholmer>