2.B.10.b - Storage, Handling and Transport of Chemical Products

Short description

Emissions from storage consider all refinery products. According to the EMEP guidebook, fuel-related emissions are reported under 1.B.2. (see Chapter 3., 1.B.2a Oil). Emissions from other mineral oil products that are not used as fuel (like naphtha, methanol etc.) are reported separately here.

Method

A distinction of mineral oil products is only made between fuels and naphtha. Based on the individual annual amount for these two subcategories, a split factor is calculated.

Activity data

The annual production of naphtha through the time series is listed in **Table 1** below.

Table 1: Annual production of naphtha from 1990 to 2020

Year	Naphtha production in kt
1990	11546.09
1991	12566.84
1992	12705.24
1993	12986.79
1994	13393.21
1995	13369.77
1996	13430.44
1997	15070.53
1998	15959.62
1999	15810.00
2000	16091.47
2001	16736.24
2002	16660.01
2003	16981.74
2004	17895.30
2005	18024.31
2006	17016.65
2007	16708.99
2008	15744.92
2009	15236.77
2010	16610.69
2011	15708.84
2012	15770.00
2013	16213.82
2014	17065.99
2015	16331.02
2016	15797.92
2017	15605.03
2018	11439.19
2019	11263.72
2020	11804.49

Emission factors

The emission factor used for NMVOC was determined by evaluating emission declarations from refineries for the period 2004 through 2016, in the framework of a research project (Bender & von Müller, 2019)¹⁾. Since no data was available for earlier years, the data obtained this way was used for all years as of 1990.

 Table 2: Emission factor of NMVOC from storage of petroleum products

Source of emission factor	Substance	Unit	Value
Storage of liquid petroleum products in tank-storage facilities outside of refineries	NMVOC	g/m³	100
Storage of gaseous petroleum products in tank-storage facilities outside of refineries	NMVOC	g/m³	500

Recalculations

Emissions of NMVOC from other mineral oil products that are not used as fuel is calculated and shown in Table 3.

Table 3: Emission of NMVOC from storage of petroleum products

Year	Emission of NMVOC in t
1990	8092.73
1991	8142.21
1992	8194.66
1993	8251.95
1994	8318.62
1995	8449.89
1996	8450.33
1997	10103.13
1998	10325.71
1999	9671.92
2000	9699.68
2001	9563.19
2002	9443.85
2003	9441.18
2004	9319.72
2005	9238.24
2006	9238.24
2007	9082.05
2008	8802.84
2009	8650.01
2010	8707.73
2011	8108.10
2012	8656.96
2013	8368.70
2014	8379.67
2015	8393.21
2016	8508.61
2017	8502.16
2018	8359.30
2019	8319.43
2020	8321.07

Planned improvements

No specific improvement is planned for this category.

¹⁾ Bender, M., & von Müller, G. (2019). Konsolidierung der Treibhausgasemissionsberechnungen unter der 2. Verpflichtungsperiode des Kyoto-Protokolls und der neuen Klimaschutz-Berichterstattungspflichten an die EU (FKZ 3716 41 107 0).