2.A.5.a - Quarrying & Mining - Other Than Coal

Short description

| Category Code | | | nod | | AD | | | | | | | | | | | |
|-------------------------|-------------|--------|--------|---------|--------|-------|-------|-------|------|-------|-------|-------|-------|-------|---------|----------|
| 2.A.5.a | | | NS | | | | | | | | | | | | | |
| Key Category | SO 2 | NO× | NH₃ | ΝΜV | oc co | BC | Pk | Hg | Cd | Diox | PAH | HCB | TSP | PM10 | PM2 5 | |
| 2.A.5.a | - | - | - | - | - | - | - | - | - | - | - | - | L/- | L/T | L/- | |
| T = key source b | y Tre | end L | = k | ey sou | rce by | ۲ Le | vel | | | | | | | | | |
| Methods | | | | | | | | | | | | | | | | |
| | D | | | | De | fault | t | | | | | | | | | |
| | RA | | | | Re | ere | nce | Арр | roa | ch | | | | | | |
| | T1 | | | | Tie | r1/ | ' Sir | nple | Me | thodo | logy | * | | | | |
| | T2 | | | | Tie | r 2* | | | | | | | | | | |
| | Т3 | | | | Tie | r 3 / | ' De | taile | ed M | letho | dolog | y * | | | | |
| | С | | | | CO | RIN | ٩IR | | | | | | | | | |
| | CS | | | | Co | untr | y S | pecif | ïc | | | | | | | |
| | М | | | | Мо | del | | | | | | | | | | |
| * as described in | the | EME | P/CO | RINAIR | Emis | sion | In۱ | /ento | ory | Guide | book | - 200 | 7, in | the g | roup sp | ecific d |
| AD - Data Sour | ce fo | or Ac | tivit | y Dat | a | | | | | | | | | | | |
| NS National Stat | istics | 5 | | | | | | | | | | | | | | |
| RS Regional Sta | tistic | s | | | | | | | | | | | | | | |
| IS International | Stat | istics | | | | | | | | | | | | | | |
| PS Plant Specific | dat | а | | | | | | | | | | | | | | |
| AS Associations, | busi | iness | orga | anisati | ons | | | | | | | | | | | |
| Q specific ques | tionr | naires | s, sui | veys | | | | | | | | | | | | |
| EF - Emission F | acto | ors | | | | | | | | | | | | | | |
| Default (EME | P Gu | idebo | ook) | | | | | | | | | | | | | |
| C Confidential | | | | | | | | | | | | | | | | |
| CS Country Spec | ific | | | | | | | | | | | | | | | |
| PS Plant Specific | date | - | | | | | | | | | | | | | | |

The mining process emits relevant amounts of particles. Quarrying and mining of minerals other than coal is subsumed, in particular mining of limestone, hard rock and building sands. Information about the current relevance is shown in 2.A - Mineral Industry.

Methodology

With the use of the 2019 GB method ¹⁾, a Tier 2 method is available that can reflect different national conditions.

As provided for in the GB model, we use AD in the split hard rock, sand and recycled material. These AD are taken from association information because the national statistics are not complete. The application of the method therefore resulted in higher AD. The calculation of emissions now takes into account national circumstances and reduction measures. The calculations are available in a total of 13 Excel files (individual years since 1990, annually from 2010).

Since the GB tool in principle calculates emissions for exactly one year ²⁾, files must be available for exactly those years in which input data are available. Intermediate years are interpolated in case of data gaps.


With the help of the GB tools, IEFs are reported on an annual basis, which are used for the inventory method AR x EF. Thus the activity data are presented transparently and can be discussed with data suppliers. The emission factors can be modified if further information on the parameters of the GB-tool is available.

Trend discussion

Trends in emissions follow the shrinking mining activities.

trends of emissions of Quarrying & Mining

Emissions by pollutant / Emissionen nach Schadstoff



Feinstäube (PM) ist 1995

Emission trends in NFR 2.A.5.a

Recalculations

Recalculations were necessary due to minor revised AD for the last recent year.

Planned improvements

At the moment, no category-specific improvements are planned.

Short description - Salt Production

Salt production is a sub-category of the mining activities in respect of the country specific approach used. Currently, a Tier 1

method is used: information on production of salts are multiplied with emission factors for TSP and PM.

Method

Activity data

The data from national statistics includes production of potash and rock salt. Potash salt is dominating, nevertheless gaps of statistics are filled and emissions are modelled as potash salt only.

Emission factors

The emission factors are based on analogy to bulk product handling by an expert judgements from UBA:

Table 2: Overview of applied emission factors, in kg/t salt

| Pollutant | EF value | EF trend |
|-----------|----------|----------|
| TSP | 0.031 | constant |
| PM10 | 0.016 | constant |
| PM2.5 | 0.003 | constant |

Planned improvements

At the moment, no category-specific improvements are planned.

¹⁾ EMEP/EEA, 2019: EEA Report No 13/2019 EMEP EEA air pollutant emission inventory guidebook 2019, Copenhagen, 2019; URL:

https://www.eea.europa.eu/publications/emep-eea-guidebook-2019/part-b-sectoral-guidance-chapters/2-industrial-processes/ 2-a-mineral-products/2-a-5-a-quarrying/view

²⁾ EMEP/EEA, 2019: EEA Report No 13/2019 EMEP EEA air pollutant emission inventory guidebook 2019, Copenhagen, 2019; URL:

https://www.eea.europa.eu/publications/emep-eea-guidebook-2019/part-b-sectoral-guidance-chapters/2-industrial-processes/ 2-a-mineral-products/2-a-5-a-quarrying-1/view