

## 2.G - Other Product Use (OVERVIEW)

NFR 2.G includes emissions from fireworks, from tobacco and from charcoal used for barbecues.

For detailed information on applied methods, activity data, emission factors, emissions and recalculations, please refer to the sub-chapters linked below.

| Category Code                       | Method          |                 |                 |       |     | AD    |     |    |     |      | EF                 |     |     |                  |                   |
|-------------------------------------|-----------------|-----------------|-----------------|-------|-----|-------|-----|----|-----|------|--------------------|-----|-----|------------------|-------------------|
| 2.G.4 Use of Fireworks              | CS              |                 |                 |       |     | D, CS |     |    |     |      | NS and association |     |     |                  |                   |
| 2.G.4 Use of Tobacco                | T2              |                 |                 |       |     | CS/D  |     |    |     |      | NS                 |     |     |                  |                   |
| 2.G.4 Use of Charcoal for barbecues | T1              |                 |                 |       |     | NS    |     |    |     |      | D                  |     |     |                  |                   |
| Key Category                        | SO <sub>2</sub> | NO <sub>x</sub> | NH <sub>3</sub> | NMVOC | CO  | BC    | Pb  | Hg | Cd  | Diox | PAH                | HCb | TSP | PM <sub>10</sub> | PM <sub>2.5</sub> |
| 2.G                                 | -/-             | -/-             | -/-             | -/-   | -/- | -/-   | -/- | -  | L/- | -/-  | -/-                | -   | -/- | L/-              | L/-               |

**T** = key source by Trend **L** = key source by Level

| Methods   |                                 |
|-----------|---------------------------------|
| <b>D</b>  | Default                         |
| <b>RA</b> | Reference Approach              |
| <b>T1</b> | Tier 1 / Simple Methodology *   |
| <b>T2</b> | Tier 2*                         |
| <b>T3</b> | Tier 3 / Detailed Methodology * |
| <b>C</b>  | CORINAIR                        |
| <b>CS</b> | Country Specific                |
| <b>M</b>  | Model                           |

\* as described in the EMEP/CORINAIR Emission Inventory Guidebook - 2007, in the group specific chapters.

| AD - Data Source for Activity Data |                                      |
|------------------------------------|--------------------------------------|
| <b>NS</b>                          | National Statistics                  |
| <b>RS</b>                          | Regional Statistics                  |
| <b>IS</b>                          | International Statistics             |
| <b>PS</b>                          | Plant Specific data                  |
| <b>AS</b>                          | Associations, business organisations |
| <b>Q</b>                           | specific questionnaires, surveys     |
| EF - Emission Factors              |                                      |
| <b>D</b>                           | Default (EMEP Guidebook)             |
| <b>C</b>                           | Confidential                         |
| <b>CS</b>                          | Country Specific                     |
| <b>PS</b>                          | Plant Specific data                  |