Chapter 8.2 - Improvements

Improvements since last Submission



- 1.A.3.c: broad revision of activity data for use of solid fuels and biomass in historic steam locomotives
- 1.A.3.d: revision and correction of BSH model
- 1.A.2.f/ 2.A.2+2.A.3: reallocation of CO emissions calculation from fuel to process and switch to a higher tier
- 1.B.1: revision of the TSP, PM10 and PM 2.5 emission factor from lignite mining
- 1.B.2: introduction of new methods and emission factors for gas transmission, distribution and end users
- Added Appendix 5: additional information verification with independent data

Improvements planned for future submissions

Possible improvement issues that have been identified so far and will be checked in the future are given below:

OVER-ALL INVENTORY (all source categories)

• To prioritise improvements on the basis of the results of the uncertainty analysis, it is planned to determine uncertainty analysis at source category level.

stationary fuel combustion:

- evaluation of measurement data on POPs and heavy metal in large combustion plants (1.A.1.a)
- revision of SO₂ emission factors (1.A.1.b)
- further improvements of PAH Emission factors for small combustion plants

mobile fuel combustion:

- implementation of abrasive emissions from tyres, brakes and road surface into TREMOD (1.A.3.b vi + vii)
- validation and revision of approach for abrasive emissions from railways; possible implementation into TREMOD (1.A.3.c)
- revision of activity data for agricultural mobile combustion (1.A.4.c ii (i))

industrial processes:

• Update of some EF for Cement industry

Investigated Review Findings

Aspect	Sector	Finding summary	CLRTAP 2010		NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Transparency	1A5b	Lack of transparency regarding the NOx emissions outlier in 2005 compared to 2000-2010 emissions								DE-1A5b-2022-0001	No	
Transparency	1A5b	Lack of transparency regarding the PM2.5 emissions outlier in 2005 compared to 2000-2010 emissions								DE-1A5b-2022-0002	No	
Transparency	2C4	Lack of transparency regarding the use of notation keys, does not match IIR description								DE-2-2022-0002	Partly	
Transparency	2G	Lack of transparency regarding the drop in the emissions in 2020 from the previous rather steady trend								DE-2G-2022-0001	Partly	
Transparency	2J	Lack of transparency regarding the use of notation keys because the notation keys 'NA' and 'NE' do not match the explanation in the IIR								DE-2J-2022-0001	Yes	
Transparency	2K	Lack of transparency on the use of these notation keys and the explanation provided in the IIR								DE-2K-2022-0001	Yes	
Transparency	3D	Lack of transparency regarding activity data reported in the NFR tables for years 1990-2020								DE-3D-2022-0001	Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Consistency		Large increase in AD from 2015 to 2016				DE-1A4ciii-2018-0001	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	No	All issues regarding the inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Completeness	2D3c	For particulate matter, Germany did not provide estimates and was using the notation key 'NA' (not applicable) in its NFR									No	Germany will check including emission estimates for particulate matter and report on the progress made implementing this improvement in IIR submissions.
Completeness	2H1	Germany reports 'IE' for all pollutants under NFR 1A2d, assuming that the fuel- related emissions are allocated under 2H1, however, for BC and CO the notation key 'NE' is used									Yes	We have improved the IIR documentation of the allocation of all emissions from the pulp industry and included an explanation of the management of process related sulphur and ammonia emissions for pulping processes occurring in Germany.
Completeness	3B	Other animals not reported									No	Will be implemented in Submission 2024
Completeness	3Da2a	Use of notation key for NMVOC while emissions are expected									Yes	
Completeness	5D1	Lack of transparency regarding dry toilets (including latrines)	,								Yes	
Aspect		Einding		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Accuracy	3Dc	Farm-Level Agricultural Operations should be reported using Tier 2 or higher								DE-3Dc-2022-0001	Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
General	LPS	Update to the 2019 dataset							DE-LPS-GEN-2021-0002		No	
Aspect	Sector	Finding	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
	\ 1A2gviii \ 1A4 \	Clearly reference EFs used for HCB and BC							DE-1A1a-2021-0001		Yes	
Transparency	1A2b	Update notation key used for BC emission							DE-1A2b-2021-0001		No	
Transparency	1A2e	Update notation key for BC and check allocation							DE-1A2e-2021-0001		No	
Transparency	1A3ei	Explicitly state why PM2.5 is equal to PM10							DE-1A3ei-2021-0001		Yes	
Transparency	1A4bii	Update IIR description							DE-1A4bii-2021-0001		No	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	for IIR
Fransparency	5	Update to the latest Guidebook where needed							DE-5-2021-0001		Yes	Citation has been updated to the latest GE version - no changes in EF needed. Only for 5C2 some changes in EF is planned.
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Consistency	1A1b	Resolve time series issue for BC							DE-1A1b-2021-0001		Yes	
Consistency	1A4cii	Inconsistent AD values NFR vs. IIR				DE-1A4cii-2018-0001			DE-1A4cii-2018-0001 (ID reused)		No	
Consistency	1A4ciii	Large increase in AD from 2015 to 2016				DE-1A4ciii-2018-0001	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	No	All issues regarding th inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Completeness	1A2a	Report BC emissions							DE-1A2a-2021-0002		No	
Completeness	1A2a	Include BC emissions							DE-1A2a-2021-0001		No	
Completeness	1A5a	Include BC emissions							DE-1A5a-2021-0001		Yes	
Completeness	2A3	Include BC emissions							DE-2A3-2021-0001		No	
Completeness	2B6	Include the NOx emissions in the next submission.			DE-2B6-2017-0001	DE-2B6-2018-0001	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)		Yes	
Completeness	2D3g	Report PAHs from 2D3g Chemical Products				DE-2D3g-2018-0001	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)		Yes	
Completeness	GRID	Include NOx emissions from shipping							DE-GRID-G-2021-0001		No	
Completeness	LPS	Add missing pollutants PAHs PCBs PM2.5 Include						DE-LPS-GEN-2020-0001	DE-LPS-GEN-2020-0001 (ID reused)		No	Since these pollutants are not in the ePRTR dataset Germany cannot report them.
Completeness	LPS	PCDD/F emissions							DE-LPS-GEN-2021-0001		No	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR Germany
Accuracy		Move CO emission calculation to a higher tier							DE-1A2f-2021-0003		Yes	estimaty now includes a new estimate based on further analysis in sector 2A2 ir sector 1A2f you can find only the notation key 'IE'.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	for IIR
Comparability	1B1b	Update PAH reporting							DE-1B1b-2021-0001		Yes	Revised emission factors developed according to suggestions in review.
Comparability	2A1	Update PAH reporting							DE-2A1-2021-0001		Yes	Details of the methodology used for BaP and for PAH-1-4 estimation are explained in IIR 2022.

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Comparability	201	Update PAH reporting							DE-2C1-2021-0001		Partly	
Comparability	12(3	Update PAH reporting							DE-2C3-2021-0001		Partly	

Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
General	LPS	Improve consistency with the latest ePRTR reporting.						DE-LPS-GEN-2020-0002			Yes	
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
QA/QC	LPS	Improve coordinates given check for collisions						DE-LPS-GEN-2020-0004			Yes	
QA/QC	LPS	Make sure each point source reported has unique key build from attributes						DE-LPS-GEN-2020-0003			No	Germany checked this issue and does not see any reason to change the data. It is unclear why LPS name GNFR and stack height should function as a key alternative in particular because the table already provides the ePRTR ID as an unique and valid key.
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Transparency	2C7a	Improve Transparency for Cd and Pb emissions from copper production						DE-2C7a-2020-0001			Yes	
Transparency	31	Improve the transparency of the calculations used for NO emissions from storage of digestate from energy crops.						DE-3I-2020-0001			Yes	
Transparency	LPS	Reallocate livestock emissions from GNFR L_AgriOther to K_AgriLivestock						DE-LPS-K-2020-0001			Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	implemented?	Official Comment for IIR
Consistency	1A4cii	IEF Cd trend since 2007 erratic				DE-1A4cii-2018-0001	DE-1A4cii-2018-0001 (ID reused)	DE-1A4cii-2018-0001 (ID reused)			No	All issues regarding the inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.

Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Consistency		Large increase in AD from 2015 to 2016				DE-1A4ciii-2018-0001	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)		No	All issues regarding the inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.
Aspect	Sector	Summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Completeness		Include the NOx emissions in the next submission.			DE-2B6-2017-0001	DE-2B6-2018-0001	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)		Yes	
Completeness		Potential under-estimate of emissions of HCB				DE-2C1-2018-0001	DE-2C1-2018-0001 (ID reused)	DE-2C1-2018-0001 (ID reused)			Yes	Data acquisition for the resolution of this issue will be implemented in the framework of a research project updating several emission factors. The effort is scheduled to start in 2021 and will take about 3 years. Until then the default emission factor from the EMEP/EEA Guidebook is used.
Completeness	2D3a	Emissions of Hg not estimated					DE-2D3a-2019-0001	DE-2D3a-2019-0001 (ID reused)			No	
Completeness	2D3g	Report PAHs from 2D3g Chemical Products				DE-2D3g-2018-0001	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)		Yes	
Completeness	502	NMVOC emissions missing although default EFs exist					DE-5D2-2019-0001	DE-5D2-2019-0001 (ID reused)			Yes	Industrial wastewater NMVOC emissions were implemented and are part of the 2021 reporting.
Completeness	GRID	Add gridded emissions of Cd Pb Hg PCDD/F PAHs HCB PCBs to reporting						DE-GRID-GEN-2020-0001			Yes	
Completeness		Add missing pollutants PAHs PCBs PM2.5						DE-LPS-GEN-2020-0001	DE-LPS-GEN-2020-0001 (ID reused)		No	Since these pollutants are not in the ePRTR dataset Germany cannot report them.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Accuracy	2D3a	Rationale for not estimating emissions in category 2D3a and notation key selection				DE-2D3a-2018-0001	DE-2D3a-2018-0001 (ID reused)	DE-2D3a-2018-0001 (ID reused)			No	Germany is in the process of evaluating data to calculate emissions of Hg from the use of fluorescent tubes.
Accuracy	LPS	Check emission data for facility "Heyne & Penke Verpackungen GmbH"						DE-LPS-E-2020-0001			Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Transparency	1A1	Presents its NH3 EF for stationary combustion in the next submission of its IIR justify the use of these and compare these against the values in 2016 EMEP/EEA Guidebook.			DE-1A1-2017-0001	DE-1A1-2018-0001	DE-1A1-2017-0001 (ID reused)				No	A comparison with default values is not possible
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Consistency	1A4bii	Significant fluctuations in fuel consumption over the time series					DE-1A4bii-2019-0001				No	All issues regarding the inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.
Consistency	1A4cii	IEF Cd trend since 2007 erratic				DE-1A4cii-2018-0001	DE-1A4cii-2018-0001 (ID reused)	DE-1A4cii-2018-0001 (ID reused)			No	All issues regarding the inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.
		Large increase in AD from 2015 to 2016				DE-1A4ciii-2018-0001	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)		No	All issues regarding the inconsistency of activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing internal revision process launched by the provider of the NEB has been finished.
Aspect	Sector	,	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	implementeur	Official Comment for IIR
Completeness	1A2a	NE reported for Cadmium although a default EF is available					DE-1A2a-2019-0001				Yes	
Completeness	1420	NE reported for some pollutants although default EFs are available					DE-1A2b-2019-0002				Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Completeness	1A2b	NA is reported for HCB 1990					DE-1A2b-2019-0001				No	Germany carefully checked all possible aditional sources for HCB in this sector. This includes the BREF documents as well as other literature. There was no indication for any missing found. The emission factors in the Guidebook are only applicable to processes not occuring in Germany.
Completeness	1A3b	PCB emissions missing for all years although default emission factors are available					DE-1A3b-2019-0001				Yes	Emissions calculated based on default EF
Completeness	1A3c	Update notation key from NE to NA					DE-1A3c-2019-0001				Yes	
Completeness	2B3	Include the NOx emissions in the next submission preferably using a country specific method to account for the specific technologies and abatement equipment applied.			DE-2B3-2017-0001	DE-2B3-2018-0001	DE-2B3-2017-0001 (ID reused)				Yes	
Completeness	2B6	Include the NOx emissions in the next submission.			DE-2B6-2017-0001	DE-2B6-2018-0001	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)		Yes	
Completeness		Potential under-estimate of emissions of HCB				DE-2C1-2018-0001	DE-2C1-2018-0001 (ID reused)	DE-2C1-2018-0001 (ID reused)			Yes	Data acquisition for the resolution of this issue will be implemented in the framework of a research project updating several emission factors. The effort is scheduled to start in 2021 and will take about 3 years. Until then the default emission factor from the EMEP/EEA Guidebook is used.
Completeness	2D3a	Emissions of Hg not estimated					DE-2D3a-2019-0001	DE-2D3a-2019-0001 (ID reused)			No	
Completeness	2D3g	Report PAHs from 2D3g Chemical Products				DE-2D3g-2018-0001	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)		Yes	
Completeness	5A	Include NMVOC and PM2.5 emissions from 5A in its next submission.			DE-5A-2017-0001	DE-5A-2018-0001	DE-5A-2017-0001 (ID reused)				Yes	Implemented in 2020 reporting. Atthough only the reporting of NMVOC and PM2.5 emissions was requested Germany decided to additionally report PM10 and TSP.

Aspect

Sector Finding summary

CLRTAP 2010 CLRTAP 2014 NECD 2017

NECD 2018

		Summary	2010	2014						2022		for IIR
Completeness	5C2	Emission are not estimated for PCDD/F Pb and Cd although default EFs are available					DE-5C2-2019-0001				Yes	Default-EF used emissions reported.
Completeness	5D2	NMVOC emissions missing although default EFs exist					DE-5D2-2019-0001	DE-5D2-2019-0001 (ID reused)			Yes	Industrial wastewater NMVOC emissions were implemented and are part of the 2021 reporting.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Accuracy	1A1a	Include the revised estimate of activity data and emissions for biogas in its next submission.			DE-1A1a-2017-0003	DE-1A1a-2018-0001	DE-1A1a-2017-0003 (ID reused)				Yes	Implemented in 2020 submission
Accuracy	2D3a	Rationale for not estimating emissions in category 2D3a and notation key selection				DE-2D3a-2018-0001	DE-2D3a-2018-0001 (ID reused)	DE-2D3a-2018-0001 (ID reused)			No	Germany is in the process of evaluating data to calculate emissions of Hg from the use of fluorescent tubes.
Accuracy	3B	Tier 1 method used for key category					DE-3B-2019-0001				Yes	Implemented in 2020 reporting
Aspect			CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official
Comparability	1A4ai	Implied EFs PAHs and PCDD/F are outliers compared to other member states					DE-1A4ai-2019-0001				Yes	

Aspect		Finding summary	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2022	Implemented?	Official Comment for IIR
Transparency	1A1	Presents its NH3 EF for stationary combustion in the next submission of its IIR justify the use of these and compare these against the values in 2016 EMEP/EEA Guidebook.		DE-1A1-2017-0001	DE-1A1-2018-0001	DE-1A1-2017-0001 (ID reused)			No	A comparison with default values is not possible
Transparency	1A1b	Include the country specific EFs for combustion in refineries in the relating chapter of its IIR to improve transparency.	§ 55	DE-1A1b-2017-0001	DE-1A1b-2018-0001				No	Emission factors are under revision. New emission factors will be included in the IIR following completion of the running refinery project.
Transparency	TASDI	Incorrect notation keys for activity data			DE-1A3bi-2018-0002				Yes	notation keys replaced by activity data values
Transparency	1A3bv	Incorrect notation keys for HCB and PCB emissions			DE-1A3bv-2018-0001				Yes	'NE' replaced by 'NA' as suggested by the TERT
Transparency	2D3d	Include explanation on recalculation to 1994 in the next submission.		DE-2D3d-2017-0001	DE-2D3d-2018-0001				Yes	Was reported with the submission 2019.
Aspect		Finding summary	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2022	Implemented?	Official Comment for IIR

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Consistency	1A4cii	IEF Cd trend since 2007 erratic				DE-1A4cii-2018-0001	DE-1A4cii-2018-0001 (ID reused)	DE-1A4cii-2018-0001 (ID reused)			No	All issues regarding the inconsistency o activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing interma revision process: launched by the provider of the NEB has been finished.
Consistency	1A4cii	Inconsistent AD values NFR vs. IIR				DE-1A4cii-2018-0001			DE-1A4cii-2018-0001 (ID reused)		No	
Consistency	1A4ciii	Large increase				DE-1A4ciii-2018-0001	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)	DE-1A4ciii-2018-0001 (ID reused)		No	All issues regarding the inconsistency o activity data from the National Energy Balance (NEB) can only be resolved as soon as the ongoing interna revision process launched by the provider of the NEB has been finished.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	implemented?	Official Comment for IIR
Completeness	1B2aiv	Potential under-estimate of emissions of Hg Cd PCDD/F				DE-1B2aiv-2018-0001					No	Metal and PCDD/F emissions are not considered as fugitive. If IE would be used nevertheless one can assume there are such fugitives. Germany suggest to keep the notation key NA.
Completeness	283	Include the NOx emission in the next submission preferably using a country specific method to account for the specific technologies and abatement equipment applied.			DE-283-2017-0001	DE-2B3-2018-0001	DE-2B3-2017-0001 (ID reused)				Yes	
Completeness	286	Include the NOx emissions in the next submission.			DE-2B6-2017-0001	DE-2B6-2018-0001	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)		Yes	
Completeness	2C1	Potential under-estimate of emissions of HCB				DE-2C1-2018-0001	DE-2C1-2018-0001 (ID reused)	DE-2C1-2018-0001 (ID reused)			Yes	Data acquisition for the resolution of this issue will be implemented in the framework of a research project updating several emission factors. The effort is scheduled to start in 2021 and will take about 3 years. Until then the default emission factor from the EMEP/EEA Guidebook is used.

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Completeness	2C3	Include NOx from aluminium production in the next submission to improve completeness and comparability.			DE-2C3-2017-0001	DE-2C3-2018-0002					Yes	Germany carefully assessed the situation regarding this issue and concluded that no substantial NOx emission are to be expected from this source. But in order to avoid an underestimation Germany implemented the default EF of the emission guidebook 2019.
Completeness	2C3	Potential under-estimate of emissions of HCB				DE-2C3-2018-0001					Yes	
Completeness	2D3g	Report PAHs from 2D3g Chemical Products				DE-2D3g-2018-0001	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)	DE-2D3g-2018-0001 (ID reused)		Yes	
Completeness	5A	Include NMVOC and PM2.5 emissions from 5A in its next submission.			DE-5A-2017-0001	DE-5A-2018-0001	DE-5A-2017-0001 (ID reused)				Yes	Implemented in 2020 reporting. Although only the reporting of NMVOC and PM2.5 emissions was requested Germany decided to additionally report PM10 and TSP.
Completeness	5D	Include the estimation of NMVOC emissions from wastewater treatment plant in its next submission.			DE-5D-2017-0001	DE-5D-2018-0001					Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
	1A1a	Include the revised estimate of activity data and emissions for biogas in its next submission.			DE-1A1a-2017-0003	DE-1A1a-2018-0001	DE-1A1a-2017-0003 (ID reused)				Yes	Implemented in 2020 submission
Accuracy	2D3a	Rationale for not estimating emissions in category 2D3a and notation key selection				DE-2D3a-2018-0001	DE-2D3a-2018-0001 (ID reused)	DE-2D3a-2018-0001 (ID reused)			No	Germany is in the process of evaluating data to calculate emissions of Hg from the use of fluorescent tubes.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	NECD 2022	Implemented?	Official Comment for IIR
Comparability	5C	Hg EF is 100 times smaller than the default value proposed in the 2016 EMEP/EEA Guidebook and the Cd and Pb EF are 1000 times smaller than the default values proposed in the 2016 EMEP/EEA Guidebook				DE-5-2018-0001					Yes	References to research Projects of CS- EF added

Aspect	Sector	Finding summary	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Transparency	1A1	Presents its NH3 EF for stationary combustion in the next submission of its IIR justify the use of these and compare these against the values in 2016 EMEP/EEA Guidebook.		DE-1A1-2017-0001	DE-1A1-2018-0001	DE-1A1-2017-0001 (ID reused)			No	A comparison with default values is not possible
Transparency	1A1a	Improves the transparency of its IIR regarding PM2.5 shares used for each fuel (solid fuels (coal and lignite) and gaseous fuels but also biomass if relevant).		DE-1A1a-2017-0001					Yes	
Transparency	1A1b	Include the country specific EFs for combustion in refineries in the relating chapter of its IIR to improve transparency.	§ 55	DE-1A1b-2017-0001	DE-1A1b-2018-0001				No	Emission factors are under revision. New emission factors will be included in the IIR following completion of the running refinery project.
Transparency	1A2gviii	Improve the transparency of the IIR to explain its assumptions on the PM2.5 fraction used for each fuel and particularly for liquid fuels biomass and other fuels.		DE-1A2gviii-2017-0001					Yes	
Transparency		Include the explanation and rationale for using two sets of activity data to be included in the IIR for the next submission.		DE-2A1-2017-0001					Yes	
Transparency	2C	Update the SO2 emission factors for 2C5 2C6 and 2C7a for the next submission to reflect the individual production activities and to include more transparent information on primary vs. secondary production of lead zinc and copper in the IIR.		DE-2C-2017-0001					Yes	
Transparency	2D3d	Include explanation on recalculation to 1994 in the next submission.		DE-2D3d-2017-0001	DE-2D3d-2018-0001				Yes	Was reported with the submission 2019.
Transparency	3В	Include the information for the proportional of NO-N and N2 and the reference in the IIR to improve transparency.		DE-3B-2017-0002					Yes	

Aspect		Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Fransparency	382	Mention that NFR 3B2 includes lambs and also explain the lower EF NMVOC used for lambs. Furthermore the TERT recommend that Germany in IIR mentioned that pullets are included in NFR 3B4giv other poultry.			DE-3B2-2017-0004					Yes	
Transparency	3F	Include more information in the IIR for the next submission referring to the specific law and clarifying from which year the ban came into force. Furthermore it is recommended whether there are derogations for field burning under certain circumstances or for certain crop types.			DE-3F-2017-0001					Yes	Official
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	
Consistency	1A2	Use the right notation keys in the NFR tables for its next submissions. (1A2 Stationary Combustion in Manufacturing Industries and Construction PM2.5 2005-2015)			DE-1A2-2017-0001					Yes	
Aspect		Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	
Completeness	2B10a	Investigate whether flaring occurs in relation to carbide production e.g. by contacting the single producer of carbide.			DE-2B10a-2017-0002					Yes	IIR Flaring is a common destruction technic in chemical industry. But nu information exists to assigr flaring quantities to a single installation.
Completeness	2B3	Include the NOX emissions in the next submission preferably using a country specific method to account for the specific technologies and abatement equipment applied.			DE-2B3-2017-0001	DE-2B3-2018-0001	DE-2B3-2017-0001 (ID reused)			Yes	
Completeness	2B6	Include the NOx emissions in the next submission.			DE-2B6-2017-0001	DE-2B6-2018-0001	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)	DE-2B6-2017-0001 (ID reused)	Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Completeness	2C3	Include NOx from aluminium production in the next submission to improve completeness and comparability.			DE-2C3-2017-0001	DE-2C3-2018-0002				Yes	Germany carefully assessed the situation regarding this issue and concluded that no substantial NOx emission are to be expected from this source. But in order to avoid an underestimation Germany implemented the default EF of the emission guidebook 2019.
Completeness	3Da2b	Include the emission from sewage sludge apricultural soils in the next submission.			DE-3Da2b-2017-0001					Yes	
Completeness	· 5A	Include NMVOC and PM2.5 emissions from 5A in its next submission.			DE-5A-2017-0001	DE-5A-2018-0001	DE-5A-2017-0001 (ID reused)			Yes	Implemented in 2020 reporting. Although only the reporting of NMVOC and PM2.5 emissions was requested Germany decided to additionally report PM10 and TSP.
Completeness	5D	Include the estimation of NMVOC emissions from wastewater treatment plant in its next submission.			DE-5D-2017-0001	DE-5D-2018-0001				Yes	
Completeness	5E	Although the Guidebook has methods for car and house fires in Chapter 6 it may be more transparent to include these in Chapter 7 as Chapter 7 as Chapter 7 as Chapter 6D is more focused on compost and sludge. The ERT encourages Germany to consider including some of these emissions in the next submissions.	§ 116	\$139	DE-5A-2017-0003					Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Accuracy	1A1a	Include the revised estimate of activity data and emissions for biogas in its next submission.			DE-1A1a-2017-0003	DE-1A1a-2018-0001	DE-1A1a-2017-0003 (ID reused)			Yes	Implemented in 2020 submission
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Comparability	3Da1	Use the updated emission factors available in the 2016 EMEP/EEA Guidebook (Table 3.2) for the next submission.			DE-3Da1-2017-0001					Yes	

CLRTAP 2014

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019		Implemented?	Official Comment for IIR
General		Provide a PDF version of the IIR for offline use and to better facilitate the review process	6 6 0 1 1	§ 17					No	The current Wiki platform isn't able to export a whole site to PDF. But we can provide an offline HTML version with full navigation.
General		Use the results of the KCA to prioritise improvements in the inventory		§ 14					Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019		Implemented?	Official Comment for IIR
QA/QC		Fully implement the QA/QC system for the air pollutant emission inventory. If possible implement a unified QA/QC system for reporting to CLRTAP and UNFCCC.	§ 21 24 62 74 88 105	§ 37 44f					No	Ongoing discussion
QA/QC		Widen the use of the existing QA/QC system used for the set of activity data as well as the methods and emission factors for GHGs for the needs of CLRTAP/NECD inventories and providing further details on its implementation in the IIR (general and sectoral descriptions).	§ 33 40	§ 16 69 84 87 103 105					No	Ongoing discussion
QA/QC		Include information on verification and validation of the inventory in the IIR.		§ 38					No	Ongoing discussion
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019		Implemented?	Official Comment for IIR
Transparency		Inaccuracies were found in the use of notation keys and it is recommended to justify the use of notation keys in the IIR for each particular sector.		§ 19					Yes	Information tables for NE & IE were added to the completeness chapter of the current IIR
Transparency		Provide more detailed to explain emission trends e.g. annual fluctuations and discontinuities of emissions.		§ 21 78					Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017		NECD 2020	Implemented?	Official Comment for IIR
Transparency		Extend the use of a bibliography for some subsectors to all sectors in the IIR.		§ 77				Partly	The amount of recurring references is very small within most source categories. And the total number of references per page is usually quite low. So directly linking to the documents seems like a good way to make sources available to the readers.
Transparency	1A1b	Include the country specific EFs for combustion in refineries in the relating chapter of its IIR to improve transparency.		§ 55	DE-1A1b-2017-0001	DE-1A1b-2018-0001		No	Emission factors are under revision. New emission factors will be included in the IIR following completion of the running refinery project.
Transparency	1A3b	Explain in more detail the emission calculation for road transport not only by saying that HBEFA and TREMOD are used but giving more information including an overview of emission factors in the next versions of the IIR.	§ 65	§ 72				Yes	
Transparency	1B2d	Report in the IIR on what basis emissions from geothermal energy extraction are considered negligible.		§ 59				Yes	
Transparency	2D3	The methodology described in the IIR for solvent and other product use is found to be not transparent. Provide detail on all 37 subcategories including activity data and emission factors.		§ 18 96 97 98				Yes	The transparency for the solvents used and products used sector in the IIR was much improved in the submission 2016.
Transparency	3B	Explain the variation in activity data for goats in the IIR.		§ 120				Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Transparency	ЗВ	Provide additional information in the IIR especially related to: TAN contents distributions of housing and storage facilities (e.g. for the first and last reporting year) slurry storage systems and the spreading systems applied corresponding EFs.		§ 117						Yes	
Transparency	5A\5B\5C	Since all incineration is reported under energy add information about the methodology used for different types of waste incineration under NFR 1. In NFR 6C use the notation key "IE" instead of "NO" and to explain the use of the notation key in the IIR.	§ 103 110 111 112							Yes	Information on methods used for estimation of energy- related is reported in NFR 1. Germany considers NO to be correct and explains the situation in its IIR. Cremation estimation is explained now.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018		NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Consistency	1A1\1A2	In the IIR in the "Short description" for 1A1 and 1A2 Germany presents a tier 2 or 3 approach. However during the review Germany indicated that only the tier 2 approach was used. This needs correction in the IIR (was agreed by Germany to do this)	§ 47	§ 54						Yes	
Consistency	2	Ensure time series consistency of TSP emissions between 1990 and later years and clearly explain in the IIR where and why consistent reporting is not possible.		§ 80						Yes	
Consistency	2A1\2A2	A time series inconsistency is found which relates to a different reporting structure before 2000. It is recommended to explore the feasibility of harmonizing the methodology.		§ 93						Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Consistency	2D3	Provide emissions for 1990-2005 at a disaggregated level similar to later years if possible. If not explain why for the earlier period emissions have been estimated at a more aggregated level. Also clearly document in the case of IE where emissions have been allocated.		§ 100 101						Yes	The manufacturing industry was the most important branch of the GDR economy. The transformation of the markets and the disappearance of large state- owned enterprises in the course of the German unity led to a dramatic change in the eastern part of Germany
Consistency	3B	The ERT encourages Germany to further improve the consistency of the time series of NH3 for manure management. In chapter 4 of the EMEP/EEA Guidebook 2013 specific methods are provided.		§ 110						Yes	
Consistency	3В	Sheep animal numbers show a step change due to a different reporting time. This should be corrected for and described in the IIR as appropriate.		§ 119						Yes	
Consistency	3В	Check and explain the variation in activity data for horses in the IIR.		§ 121						Yes	
Consistency	3B	Explain how the change in farm practices or the implementation of mitigation measures has affected the time series in the IIR in order to facilitate the assessment of emission trends.		§ 111						Yes	
Consistency	3B	Explain in the IIR why the NH3 EF for dairy cattle decreased from 2011 to 2012.		§ 122						Yes	
Consistency	3B	Explain in the IIR why the NH3 EF for swine decreased from 1993 to 1994.		§ 123						Yes	
Consistency	3B	Explain in the IIR why the NH3 EF significant changes for different poultry subsectors in the 2000s.		§ 124						Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018		NECD 2020		Implemented?	Official Comment for IIR
Completeness		Emissions prior to 1990 are not reported.	§ 27	§ 24						Yes	
Completeness		LPS data were not reported.		§ 10						Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment fo IIR
Completeness		A key category analysis (KCA) was missing for the base years (1990 or 2000 for PM) of the pollutants.		§ 13						Yes	
Completeness	1A3ai(i)\1A3aii(i)	Heavy metal emissions are currently not estimated. The ERT recommends that the Party estimates these emissions using the methodology in the EMEP/EEA Guidebook.		§ 62						Yes	
Completeness	1A3biv\1A4bii	PM10 and PM2.5 emissions are reported as "NE". The ERT recommends that Germany completes the inventory by estimating these emissions.		§ 63						Yes	
Completeness	1A3bv	Evaporative emissions from running losses (i.e. vapour generated in the fuel tank during vehicle operation) were missing because not considered in the TREMOD model. The ERT recommends to include these in the inventory.		§ 73						No	This issue has not yet been looked into as other model revisions especially regarding a follow-up of 'diesel gate' appear much more relevan tying up all resources.
Completeness	1A3dii	Pb and Hg emissions are currently not estimated. The ERT recommends that the Party considers the emission factors available in the Guidebook.		§ 64						Yes	
Completeness	1A4ai\1A4ci\1A5a	HM and POP currently not reported since no consistent dataset is available (partly country specific partly Guidebook). The recommendation is to describe the issue in the IIR and until it is solved use the Guidebook emission factors despite their recognized uncertainty rather than reporting NE.		§ 57						Partly	Implemented for 1A4ai and 1A4ci

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Completeness	5A\5C\5D	The inventory regarding Waste is currently not complete with missing estimates for several source categories.	§ 102	§ 134 135						Yes	Industrial wastewater emissions implemented since 2021 reporting. Solid waste emissions implemented since 2020 reporting. Domestic wastewater emissions implemented since 2018 reporting. 5.C completed
Completeness	5A\5D	Improves the completeness of the inventory by estimating emissions from solid waste disposal and wastewater handling.		§ 127						Yes	Solid waste emissions implemented since 2020 pomestic wastewater emissions implemented since 2018 wastewater emissions implemented since 2021 reporting.
Completeness	SE	Although the Guidebook has methods for car and house fires in Chapter 6 it may be more transparent to include these in Chapter 7 as Chapter 7 as Chapter 6D is more focused on compost and sludge. The ERT encourages Germany to consider including some of these emissions in the next submissions.	§ 116	§139	DE-5A-2017-0003					Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Accuracy		Implement a (qualitative and quantitative) uncertainty analysis and use the results to prioritize improvements to the inventory	9 20 24	§ 32 44e 85						Yes	
Accuracy		Include a chapter in the IIR with for each source category the foreseen improvements for the inventory		§ 34						Partly	Included for most categories

Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2018	NECD 2020	Implemented?	Official Comment for IIR
Accuracy	1A3bvi	This source is a key category for Pb and the ERT has noted that the emission factor for brake wear used by Germany was higher than the maximum range quoted by the 2013 Guidebook. Germany is recommended to review the EF explain where it is coming from in the IIR and potentially revise to bring in line with the Guidebook.		§ 74				Yes	
Accuracy	1A3dii\1A5b	Review the methodology for national navigation by distinguishing between coastal and inland shipping based on an ongoing research project as well as explicitly include emissions from military activities.		§ 75 76				Yes	
Accuracy	2A1	Cement production is a key source for Hg HCB and for NOX PM10 and PAH but Tier 1 is used. The ERT encourages Germany to use	-	§ 88				Yes	plant-specific data approach is not planned

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018		NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Accuracy	2D3	Increase the use of information from individual installations that make a high contribution to the key categories such as car assembly sites and big printing installations.		§ 104						Yes	Emissions caused by the use of solvents and solvent-based products are reported in the relevant source groups In our methodology we also include the application of solvent-based products in large installations such as those used in automotive series production or large printing systems. Tha emission date of defined individual plants are thus included in the calculation but cannot be shown and published individually for reasons of confidentiality and data protection.
Accuracy	3B	Describe the efforts taken to verify / validate the emission model in the IIR.		§ 118						Yes	T
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Official Comment for IIR
Comparability	1A2a\1A4ai\1A4ci\1A5a	Notation key NE is used for (many) heavy metals despite the availability of EFs in the EMEP/EEA Guidebook. If all HM emissions from iron & steel are reported in 2C1 the notation key should be IE.		§ 56						Partly	Implemented for 1A4ai and 1A4ci
Comparability	1A4bii\1A4cii	Implied NOx emission factors are at the high end of the range when compared with a selected group of countries (AT BE DK ES FI FR GB IE IT NL NO). The ERT recommends that the Party reviews the emission factors for these two sources and includes an explanation for this issue in the IIR.		§ 66						No	This minor issue has not yet been checked. The inventory compiler will look into this as soon as resources allow.

CLRTAP 2010

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2019	NECD 2021	Implemented?	Official Comment for IIR
General		Provide a PDF version of the IIR for offline use and to better facilitate the review process	5 6 0 11	§ 17				No	The current Wiki platform isn't able to export a whole site to PDF. But we can provide an offline HTML version with full navigation.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2019	NECD 2021	Implemented?	Official
QA/QC		Fully implement the QA/QC system for the air pollutant emission inventory. If possible implement a unified QA/QC system for reporting to CLRTAP and UNFCCC.	§ 21 24	§ 37 44f				No	Ongoing discussion
QA/QC		Widen the use of the existing QA/QC system used for the set of activity data as well as the methods and emission factors for GHGs for the needs of CLRTAP/NECD inventories and providing further details on its implementation in the IIR (general and sectoral descriptions).		§ 16 69 84 87 103 105				No	Ongoing discussion
Aspect	Sector	Finding summary		CLRTAP 2014	NECD 2017	NECD 2019	NECD 2021	Implemented?	Official Comment for IIR
Transparency		Inaccuracies were found in the use of notation keys and it is recommended to justify the use of notation keys in the IIR for each particular sector.	§ 38	§ 19				Yes	Information tables for NE & IE were added to the completeness chapter of the current IIR
Transparency		Provide more detailed information on the rationale for recalculations at a sectoral level to compliment the information already provided in the recalculation tables per pollutant.	§ 30 43 90 107					Yes	
Transparency	1A2a\1A2b\2C	For iron & steel there is a mix of reporting under 1A2a (PM & CO) 2C1 (NOX SOX VOC NH3) and "NE" (HMs and POPs). For non ferrous metals similar issues are observed. The recommendation is to explain the rationale for reporting in different source categories as well the rationale for NEs. NE reporting should be avoided as much as possible e.g. by applying Guidebook Tier 1 EFs.	§ 48 49					Yes	The reporting in the different source categories is explained in the IIR.

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019		Implemented?	Official Comment for IIR
Transparency	1A2gviii	The ERT recommends that Germany include details of the units of AD used in its estimations as this was not always the case.							Yes	
Transparency	1A3b	Explain in more detail the emission calculation for road transport not only by saying that HBEFA and TREMOD are used but giving more information including an overview of emission factors in the next versions of the IIR.		§ 72					Yes	
Transparency	1A4	Provide more detail on the emission factors used including their applicability for the different years and sub-categories of the time series. Find EFs to estimate emissions for heavy metals (for example: using tier 1 in the EMEP Guidebook inventories in other countries).							Yes	
Transparency	3B	The ERT recommends including in the IIR information on the complete time series of the activity data description of emission drivers recalculations and improvements for the agriculture sector.	§ 86 94						Yes	
Transparency	5A\5B\5C	Since all incineration is reported under energy add information about the methodology used for different types of waste incineration under NFR 1. In NFR 6C use the notation key "IE" instead of "NO" and to explain the use of the notation key in the IIR.		§ 136					Yes	Information or methods used for estimation of energy- related is reported in NFR 1. Germany considers NO to be correct and explains the situation in its IIR. Cremation estimation is explained now.
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019		Implemented?	Official
Consistency	1A1\1A2	In the IIR in the "Short description" for 1A1 and 1A2 Germany presents a tier 2 or 3 approach. However during the review Germany indicated that only the tier 2 approach was used. This needs correction in the IIR (was agreed by Germany to do this)	§ 47	§ 54					Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018		NECD 2021	Implemented?	Official Comment for IIR
Consistency	1A5	The IIR says Tier 1 method is used for 1A5 but it is actually Tier 2/3. This should be corrected in the IIR.	§ 53						Yes	
Consistency	3В	The activity data (animal numbers) is coming from various sources and some corrections are being done. It is recommended that Germany includes a table in the IIR showing the livestock numbers from different sources and the type of elaboration/correction that has been done.	§ 94						Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018		NECD 2021	Implemented?	Official Comment for IIR
Completeness		Emissions prior to 1990 are not reported.	§ 27	§ 24					Yes	
Completeness	1A2a\1A2b\1A4\1B1a	Some emissions are not estimated for some pollutants: heavy metals and POPs for 1A2a particulates heavy metals and POPs for 1A2b heavy metals for 1A4 and NMVOC for 1B1a. The ERT recommends Germany to use the Guidebook default EFs if no other method is available.	§ 36						Yes	
Completeness	1A3a	NH3 reported as NE. Recommendation to investigate the emissions or report as NO if emissions do not occur.	§ 68						Yes	The notation key 'NE' is used only for ammonia from aviation gasoline (as recommended in the 2016 EMEP Guidebook). For jet kerosene emissions are estimated.
Completeness	1B1a	In 2010 "NE" is indicated for particulates and "NA" for NMVOC but the Guidebook has EFs. It is recommended that Germany identifies the type of coal mining using the EFs from the EMEP Guidebook or other references to estimate emissions for this sector. In 2014 NMVOC was reported as NE and the ERT recommends Germany to describe why NE is reported (emissions assumed negligible).	§ 54						Yes	
Completeness	2C1	Include emissions for	§ 80 81						Yes	

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014		NECD 2018				Implemented?	Official Comment for IIR
Completeness	3D	The ERT encourages Germany to estimate PM10 and PM2.5 emissions for 3D in future submissions following the EMEP/EEA Guidebook recommendations.	§ 98							Yes	
Completeness	5A\5C\5D	The inventory regarding Waste is currently not complete with missing estimates for several source categories.	§ 102	§ 134 135						Yes	Industrial wastewater emissions implemented since 2021 reporting. Solid waste emissions implemented since 2020 reporting. Domestic wastewater emissions implemented since 2018 reporting. 5.C completed
Completeness	5E	Although the Guidebook has methods for car and house fires in Chapter 6 it may be more transparent to include these in Chapter 7 as Chapter 6D is more focused on compost and sludge. The ERT encourages Germany to consider including some of these emissions in the next submissions.		§139	DE-5A-2017-0003					Yes	
Completeness	6	Consider currently missing sources: NH3 emissions from Cats and Dogs from Zoo animals and human ammonia emissions etc.	§ 116							Partly	Car and house fires have been included for quite a while now (5E). Human NH3 emissions are considered in 6A. Pets will be considered in sub2024. Official
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	NECD 2018	NECD 2019	NECD 2020	NECD 2021	Implemented?	Comment for
Accuracy		Implement a (qualitative and quantitative) uncertainty analysis and use the results to prioritize improvements to the inventory	§ 20 24	§ 32 44e 85						Yes	
Accuracy	1A1b\1A1c\2	Improvement from Tier 2 to Tier 3 using plant-specific data for some industrial processes including cement production as well as for large combustion plants (e.g. 1A1b 1A1c)	§ 19 41							Partly	Included for large combustion plants no plant-specific data for cement production

Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017		NECD 2019			Implemented?	Official Comment for IIR
Accuracy	2A1	Cement production is a key source for Hg HCB and for NOx PM10 and PAH but Tier 1 is used. The ERT encourages Germany to use plant-specific data collected as part of the LCPD IPPC and E- PRTR to develop a tier 2 or 3 methodology in the near future and to document these in its IIR.	§ 79	§ 88						Yes	plant-specific data approach is not planned
Accuracy	2L	Include results of ongoing research project to improve from Tier 1 to higher Tier methodology.	§ 82 83							Yes	
Accuracy	3B	There were errors in the calculation of N excretion rates it is recommended that Germany corrects this.	§ 97							Yes	
Aspect	Sector	Finding summary	CLRTAP 2010	CLRTAP 2014	NECD 2017	-	NECD 2019	-	-	Implemented?	Official Comment for IIR
Comparability	1A2\2	Germany reports emissions from sugar production in source category 2D2. It is recommended to report these emissions under 1A2e and include a more detailed description of the sub-categories the methodology used the source of activity data the source of EFs and consistency across the time series (1990-2008).	§ 50							Yes	Reporting of NMVOC and PM emissions from sugar production in 2H2 (used to be 2D2) is correct according to the Inventory Guidebook 2016.
Comparability	1A3di(ii)\1A4ciii	Emissions reported as IE. The ERT encourages Germany to make separate emission estimates for these sectors in future IIR reports and in the meantime a separate summary table of all categories (fully or partially reported as IE) and where they have been moved would be beneficial.	§ 69							Yes	
Comparability	1A4aii	Emissions for main pollutants were reported as IE. The ERT encourages the Party to investigate further statistical resources for missing estimates in this sector and include a progress report within the next IIR.	§ 67							Yes	