1.A.2.b - Stationary Combustion in Manufacturing Industries and Construction: Non-Ferrous Metals

Short description

Sub-category 1.A.2.b - Stationary Combustion in Manufacturing Industries and Construction: Non-Ferrous Metals includes aluminium production (sub-divided into primary and resmelted aluminium) as well as lead production, thermal galvanisation, copper and zinc production.

In Germany, aluminium is produced at four foundries, in electrolytic furnaces with pre-burnt anodes. The principal emission sources are resulting from fuel provided in the energy related processes.

Category Code	Method				AD				EF						
1.A.2.b		-	Г2				Ν	IS					?		
	NO _x	NMVOC	SO ₂	NH3	PM _{2.5}	PM ₁₀	TSP	BC	со	Pb	Cd	Hg	Diox	PAH	нсв
Key Category:	-/-	-/-	-/-	-/-	-	-	-/-	-	-/-	-	-	-	-	-	-

 \mathbf{T} = key source by Trend \mathbf{L} = key source by Level

Me	thods							
D De		Defa	Default					
T1 Tie		Tier	ier 1 / Simple Methodology *					
T2 Tie		Tier	ier 2*					
T3 Tie		Tier	ier 3 / Detailed Methodology *					
C CC		COF	CORINAIR					
CS Co		Cou	Country Specific					
M Mo		Mod	del					
* a	s described in the EMEP/EEA I	Emission	Inventory Guidebook - 2019, in the group specific chapters.					
AD	- Data Source for Activity	Data						
NS	National Statistics							
RS Regional Statistics								
IS International Statistics								
PS Plant Specific data								
As Associations, business organisations								
Q specific Questionnaires (or surveys)		urveys)						
M Model / Modelled								
С	Confidential							
EF	- Emission Factors							
D	Default (EMEP Guidebook)							
С	Confidential							
CS	Country Specific							
PS	Plant Specific data							
М	Model / Modelled							

Method

Activity data

The source of the fuel inputs consists of the statistics for the manufacturing sector (Statistik 060 - Energieverwendung des produzierenden Gewerbes / energy use in the manufacturing sector), DESTATIS, reporting number 27.43 and 27.44, production and initial processing of lead, zinc and tin, production and initial processing of copper - and, for differentiations relative to heat and electricity production, Statistik 067 (DESTATIS).

Data for fuel consumption for production and initial processing of precious metals are also provided by these statistics.

Emission factors

Reported pollutants are NOx, NMVOC, SO₂, NH₃ and CO. Instead, all particulate matter emissions are reported as process emissions under 2.C.

The underlying data for the emission factors used is provided by the report on the research project "Ermittlung und Evaluierung von Emissionsfaktoren für Feuerungsanlagen in Deutschland für die Jahre 1995, 2000 und 2010" (Determination and evaluation of emission factors for combustion systems in Germany for the years 1995, 2000 and 2010"; RENTZ et al, 2002)¹⁾. The values for the intermediate years 1996 - 1999 and 2001 - 2010 are obtained via linear interpolation; adjusted values for the following years.

Recalculations

Recalculations were necessary for 2020 due to the implementation of the now finalised National Energy Balance.



For **pollutant-specific information on recalculated emission estimates for Base Year and 2020**, please see the recalculation tables following chapter 8.1 - Recalculations.

Planned improvements

At the moment, no category specific improvements are planned.

¹⁾ RENTZ et al., 2002: Rentz, O. ; Karl, U. ; Peter, H.: Ermittlung und Evaluierung von Emissionsfaktoren für Feuerungsanlagen in Deutschland für die Jahre 1995, 2000 und 2010: Forschungsbericht 299 43 142; Forschungsvorhaben im Auftrag des Umweltbundesamt; Endbericht; Karlsruhe: Deutsch-Französisches Inst. f. Umweltforschung, Univ. (TH); 2002