

1.A.3.a ii (ii) - Domestic Civil Aviation: Cruise

Short description

Method	AD	EF	Key Category for
T1, T2, T3	NS, M	CS, D, M	<i>not included in key category analysis</i>

In NFR category 1.A.3.a ii (ii) - Domestic Civil Aviation: Cruise emissions from domestic flights between German airports during cruise stage (above 3,000 feet of altitude) are reported.

In the following, information on sub-category specific activity data, (implied) emission factors and emission estimates are provided.

Method

Activity Data

Specific jet kerosene consumption during LTO-stage is calculated within TREMOD AV as described in the [superordinate chapter](#).

Table 1: annual jet kerosene consumption during cruise-stage, in terajoules

1990 1995 2000 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019

source: Knörr et al. (2019c)¹⁾ & Gores (2019)²⁾

gallery size="medium" : 1A3aii(ii) AD.png gallery

Emission factors

All country specific emission factors used for emission reporting were basically ascertained within UBA project FKZ 360 16 029³⁾ and have since then been compiled, revised and maintained in TREMOD AV⁴⁾.

For more information, please see the [superordinate chapter](#) on civil aviation.

Table 2: Annual country-specific emission factors, in kg/TI

Trend discussion for Key Sources

NFR 1.A.3.a ii (ii) - Domestic Civil Aviation - Cruise is **not included in the national emission totals** and hence **not included in the key category analysis**.

Recalculations

Activity data have been revised for all years within TREMOD AV to keep in line with information available from the 2019 EMEP/EEA Guidebook⁵⁾ and Eurocontrol's AEM model⁶⁾.

Table 3: Revised kerosene consumption in 1.A.3.a ii (ii), in terajoules

	= 1990	= 1995	= 2000	= 2005	= 2006	= 2007	= 2008	= 2009	= 2010	= 2011	= 2012	= 2013	= 2014	= 2015	= 2016	= 2017
~ Submission 2020	> 20,024	> 20,875	> 22,967	> 21,565	> 22,122	> 22,904	> 23,145	> 21,771	> 21,579	> 21,776	> 20,673	> 18,717	> 19,614	> 19,730	> 19,746	> 19,074
~ Submission 2019	> 19,455	> 20,404	> 23,321	> 21,678	> 22,233	> 22,907	> 23,190	> 21,977	> 21,753	> 21,967	> 20,754	> 18,869	> 19,090	> 19,803	> 20,388	> 19,586
~ absolute change	> 569	> 471	> -354	> -112	> -112	> -3.15	> -44.9	> -206	> -174	> -191	> -81.7	> -152	> 524.71	> -72.8	> -643	> -512
~ relative change	> 2.92%	> 2.31%	> -1.52%	> -0.52%	> -0.50%	> -0.01%	> -0.19%	> -0.94%	> -0.80%	> -0.87%	> -0.39%	> -0.80%	> 2.75%	> -0.37%	> -3.15%	> -2.61%

In parallel, the majority of **country-specific emission factors** has been revised within TREMOD AV based on information available from the 2019 EMEP/EEA Guidebook⁷⁾ and Eurocontrol's AEM model⁸⁾.

Table 4: Revised emission-factor values, in [kg/TJ]

< Black carbon - BC																		
~ Submission 2020	> 2.02	> 2.49	> 2.44	> 2.53	> 2.56	> 2.47	> 2.20	> 2.22	> 2.28	> 2.25	> 2.26	> 2.27	> 2.38	> 2.40	> 2.24	> 2.21		
~ Submission 2019	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	> 2.23	
~ absolute change	> -0.21	> 0.26	> 0.21	> 0.30	> 0.32	> 0.24	> -0.03	> -0.01	> 0.05	> 0.02	> 0.03	> 0.03	> 0.15	> 0.17	> 0.01	> -0.02		
~ relative change	> -9.52%	> 11.61%	> 9.50%	> 13.39%	> 14.49%	> 10.85%	> -1.42%	> -0.49%	> 2.32%	> 0.82%	> 1.34%	> 1.55%	> 6.53%	> 7.57%	> 0.29%	> -0.95%		
< Particulate matter - PM																		
~ Submission 2020	> 4.21	> 5.19	> 5.09	> 5.27	> 5.33	> 5.16	> 4.58	> 4.63	> 4.76	> 4.69	> 4.71	> 4.72	> 4.95	> 5.00	> 4.66	> 4.61		
~ Submission 2019	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65	> 4.65		
~ absolute change	> -0.44	> 0.54	> 0.44	> 0.62	> 0.67	> 0.50	> -0.07	> -0.02	> 0.11	> 0.04	> 0.06	> 0.07	> 0.30	> 0.35	> 0.01	> -0.04		
~ relative change	> -9.52%	> 11.6%	> 9.50%	> 13.4%	> 14.5%	> 10.8%	> -1.42%	> -0.49%	> 2.32%	> 0.82%	> 1.34%	> 1.55%	> 6.53%	> 7.57%	> 0.29%	> -0.95%		
< Carbon monoxide - CO																		
~ Submission 2020	> 144.5	> 145.2	> 179.0	> 195.3	> 194.5	> 193.3	> 195.1	> 194.2	> 190.2	> 190.0	> 194.1	> 205.0	> 206.2	> 208.5	> 149.0	> 145.3		
~ Submission 2019	> 85.5	> 88.2	> 111.7	> 111.0	> 111.0	> 105.2	> 102.4	> 104.8	> 105.8	> 105.2	> 102.1	> 98.7	> 100.4	> 104.3	> 98.2	> 91.7		
~ absolute change	58.93	56.97	67.33	84.30	83.50	88.08	92.71	89.41	84.38	84.77	91.96	> 106.30	105.85	104.16	50.81	53.62		
~ relative change	> 68.9%	> 64.6%	> 60.3%	> 75.9%	> 75.2%	> 83.7%	> 90.5%	> 85.3%	> 79.7%	> 80.6%	> 90.1%	> 108%	> 105.4%	> 99.9%	> 51.7%	> 58.5%		



For more information on recalculated emission estimates for Base Year and 2018, please see the pollutant specific recalculation tables following chapter [8.1 - Recalculations](#).

Uncertainties

For uncertainties information, please see [main chapter](#) on civil aviation.

Planned improvements

For information on planned improvements, please see [main chapter](#) on civil aviation.

[bibliography](#) : 1 : Knörr, W., Schacht, A., & Gores, S. (2010): Entwicklung eines eigenständigen Modells zur Berechnung des Flugverkehrs (TREMOD-AV) : Endbericht. Endbericht zum F+E-Vorhaben 360 16 029, URL: <https://www.umweltbundesamt.de/publikationen/entwicklung-eines-modells-zur-berechnung>; Berlin & Heidelberg, 2012. : 2 : Knörr et al. (2019c): Knörr, W., Schacht, A., & Gores, S.: TREMOD Aviation (TREMOD AV) 2019 - Revision des Modells zur Berechnung des Flugverkehrs (TREMOD-AV). Heidelberg, Berlin: Ifeu Institut für Energie- und Umweltforschung Heidelberg GmbH & Öko-Institut e.V., Berlin & Heidelberg, 2019. : 3 : Gores (2018): Inventartool zum deutschen Flugverkehrsinventar 1990-2018, im Rahmen der Aktualisierung des Moduls TREMOD-AV im Transportemissionsmodell TREMOD, Berlin, 2019. : 4 :

EMEP/EEA, 2019: EMEP/EEA air pollutant emission inventory guidebook 2019,
<https://www.eea.europa.eu/publications/emep-eea-guidebook-2019/part-b-sectoral-guidance-chapters/1-energy/1-a-combustion/1-a-3-a-aviation/view>; Copenhagen, 2019. : 5 : Eurocontrol (2019): Advanced emission model (AEM);
<https://www.eurocontrol.int/model/advanced-emission-model>; 2019 [bibliography](#)

¹⁾ (bibcite 2)

²⁾ (bibcite 3)

³⁾ (bibcite 1)

⁴⁾ (bibcite 2)

⁵⁾ (bibcite 4)

⁶⁾ (bibcite 5)

⁷⁾ (bibcite 4)

⁸⁾ (bibcite 5)