2.G. - Use of Charcoal for barbecues

In sub-category NFR 2.G.4(c) - Charcoal TSP, PM₁₀ and PM_{2.5} emissions from charcoal used for barbecue are reported.

Me	thod AD EF	Ke	ey Categ	jory			
-	T1 NS D For 2.G. L: TSP, Cd, PI			, / L & T: PM _{2.5} , Pb			
т =	key source by Ti	rend L = key	y source	by Level			
Me	thods						
D			Default				
T1			Tier 1 / Simple Methodology *				
Т2			Tier 2*				
	Т3		Tier 3 / Detailed Methodology *				
С			CORINAIR				
	CS		Country Specific				
	M		Model				
			1	Inventory Guideb	ook - 2019, in the gro	oup specific chapters.	
	- Data Source	-	/ Data				
NS National Statistics							
RS Regional Statistics							
IS International Statistics							
PS Plant Specific data							
As Associations, business or							
Q specific Questionnaires (o			surveys)				
M Model / Modelled		1					
	C Confidential						
EF - Emission Factors							
	Default (EMEP G	uidebook)					
-	Confidential						
	Country Specific						
	Plant Specific da						
Μ	Model / Modelled						

Methodology

Activity data

The annual charcoal consumption for barbecue is calculated as annual import + production - export, and the relevant volumes of charcoal are extracted from national statistics by the Federal Statistical Office. Other applications for charcoal are not included.

The model is based on the two assumptions that there is no storage of charcoal and that all charcoal is burned.

The amount of charcoal used for barbecue has been ever-expanding from 1990 to 2012 and is predominantly imported. As there is only one big producer, produced amounts and resulting emissions are confidential.

Emission factors

The emission factors are derived from the CEPMEIP Database (SNAP: 060508).¹⁾

Uncertainties

The uncertainties of emissions are 54% for the lower and upper bounds.

Recalculations

The import and export data for 2018 were changed as revised activity data for the foreign sale was available from the Federal Statistical Office.



For specific information on recalculated emission estimates for Base Year and 2018, please see the pollutant specific recalculation tables following chapter 8.1 - Recalculations.

Planned improvements

No improvements are planned.

1)

CEPMEIP, 2018: Co-ordinated European Programme on Particulate Matter Emission Inventories, Projections and Guidance (CEPMEIP), CEPMEIP Database, SNAP code : 060508; URL:

http://www.air.sk/tno/cepmeip/em_factors.php?PHPSESSID=cc235582eb4e09bf725d6f859deb382d