1.A.2.b - Stationary Combustion in Manufacturing Industries and Construction: Non-Ferrous Metals

Short description

Sub-category 1.A.2.b - Stationary Combustion in Manufacturing Industries and Construction: Non-Ferrous Metals includes aluminium production (sub-divided into primary and resmelted aluminium) as well as lead production, thermal galvanisation, copper and zinc production.

In Germany, aluminium is produced at four foundries, in electrolytic furnaces with pre-burnt anodes. The principal emission sources are resulting from fuel provided in the energy related processes.

Ni	FR Code		Meth	od		AD .		EF	:					
1.A.2.b		T2 NS					?							
Method(s) applied														
D Default														
T1			Tier 1 / Simple Methodology *											
	T2		Tier 2*											
	Т3		Tier 3 / Detailed Methodology *											
	С		CORINAIR											
	CS		Country Specific											
	М		Model											
* as descr	ibed in the E	MEP/EI	EA Emission	Inventory (Guidebool	c - 2019, ii	n catego	ry c	hap	oter	s.			
(source f	or) Activity	Data												
NS			National Statistics											
RS			Regional Statistics											
IS			International Statistics											
PS			Plant Specific											
As			Associations, business organisations											
	Q		specific Questionnaires (or surveys)											
M			Model / Modelled											
C			Confidential											
(source f	or) Emissio	n Fact									4			
D			Default (EMEP Guidebook)											
CS			Country Specific											
PS			Plant Specific											
M			Model / Modelled											
	С		Confidential											
NO _x	NMVOC	SO ₂		PM _{2.5}	PM ₁₀	TSP	ВС	$\overline{}$	Pb	Cd	Hg	Diox	PAH	НСВ
-/-	-/-	-/-	-/-	-	-	-/-	-	-/-	-	-	-	-	-	-
L/- key source by Level only														
-/T key source by Trend only														
L/T key source by both Level and Trend														
-/- no key source for this pollutant														
IE emission of specific pollutant Included Elsewhere (i.e. in another category)														
	NE emission of specific pollutant N ot E stimated (yet)													
	NA specific pollutant not emitted from this source or activity = N ot A pplicable													
* no ana	alysis done													

Method

Activity data

The source of the fuel inputs consists of the statistics for the manufacturing sector (Statistik 060 - Energieverwendung des produzierenden Gewerbes / energy use in the manufacturing sector), DESTATIS, reporting number 27.43 and 27.44, production and initial processing of lead, zinc and tin, production and initial processing of copper - and, for differentiations relative to heat and electricity production, Statistik 067 (DESTATIS).

Data for fuel consumption for production and initial processing of precious metals are also provided by these statistics.

Emission factors

Reported pollutants are NOx, NMVOC, SO₂, NH₃ and CO. Instead, all particulate matter emissions are reported as process emissions under 2.C.

The underlying data for the emission factors used is provided by the report on the research project "Ermittlung und Evaluierung von Emissionsfaktoren für Feuerungsanlagen in Deutschland für die Jahre 1995, 2000 und 2010" (Determination and evaluation of emission factors for combustion systems in Germany for the years 1995, 2000 and 2010"; RENTZ et al, 2002)¹⁾. The values for the intermediate years 1996 - 1999 and 2001 - 2010 are obtained via linear interpolation; adjusted values for the following years.

Recalculations

Recalculations were necessary for 2020 due to the implementation of the now finalised National Energy Balance.



For pollutant-specific information on recalculated emission estimates for Base Year and 2020, please see the recalculation tables following chapter 8.1 - Recalculations.

Planned improvements

At the moment, no category specific improvements are planned.

¹⁾ RENTZ et al., 2002: Rentz, O.; Karl, U.; Peter, H.: Ermittlung und Evaluierung von Emissionsfaktoren für Feuerungsanlagen in Deutschland für die Jahre 1995, 2000 und 2010: Forschungsbericht 299 43 142; Forschungsvorhaben im Auftrag des Umweltbundesamt; Endbericht; Karlsruhe: Deutsch-Französisches Inst. f. Umweltforschung, Univ. (TH); 2002