

## 2.1 - Wood Processing

Category Code	Method	AD	EF											
2.1	T1	NS	CS											
Method(s) applied														
D	Default													
T1	Tier 1 / Simple Methodology *													
T2	Tier 2*													
T3	Tier 3 / Detailed Methodology *													
C	CORINAIR													
CS	Country Specific													
M	Model													
* as described in the EMEP/EEA Emission Inventory Guidebook - 2019, in category chapters.														
(source for) Activity Data														
NS	National Statistics													
RS	Regional Statistics													
IS	International Statistics													
PS	Plant Specific													
As	Associations, business organisations													
Q	specific Questionnaires (or surveys)													
M	Model / Modelled													
C	Confidential													
(source for) Emission Factors														
D	Default (EMEP Guidebook)													
CS	Country Specific													
PS	Plant Specific													
M	Model / Modelled													
C	Confidential													
NO <sub>x</sub>	NM VOC	SO <sub>2</sub>	NH <sub>3</sub>	PM <sub>2.5</sub>	PM <sub>10</sub>	TSP	BC	CO	Pb	Cd	Hg	Diox	PAH	HCB
-	-/-	-	-	-/-	-/-	-/-	-	-	-	-	-	-	-	-
L/-	key source by <b>L</b> evel only													
-/T	key source by <b>T</b> rend only													
L/T	key source by both <b>L</b> evel and <b>T</b> rend													
-/-	no key source for this pollutant													
IE	emission of specific pollutant <b>I</b> ncluded <b>E</b> lsewhere (i.e. in another category)													
NE	emission of specific pollutant <b>N</b> ot <b>E</b> stimated (yet)													
NA	specific pollutant not emitted from this source or activity = <b>N</b> ot <b>A</b> pplicable													
*	no analysis done													

This industrial sector essentially includes the production of chipboards. It's of minor meaning with view on emissions.

Chipboards is made from wood chips with added binders under the influence of pressure and heat. The main source of NMVOC emissions are the wood chips used, from which NMVOCs are emitted during drying due to the effect of heat. NMVOC can also be emitted from the wood and the binder during the pressing process. Chipboards are produced in about 20 plants in Germany. The chipboard industry is dominated by larger companies.

### Activity data

The activity data are taken from the national statistics <sup>1)</sup>, but must be converted from volume to mass data for further use.

Table 1: Produced amounts, in 10<sup>6</sup> metric tonnes [t]

2014	2015	2016	2017	2018	2019	2020	2021
4.446	4.402	4.56	4.703	4.322	4.489	4.431	4.776

## Emissions factors

The emission factors of 0.9 kg/t for NMVOC and 0.3 kg/t for PM were estimated on the basis of expert judgements.

## Recalculations



With **activity data and emission factors remaining unrevised**, no recalculations were carried out compared to Submission 2022.

<sup>1)</sup> Federal Statistical Office, reporting numbers until 2018: 1621 13 131; 1621 13 133; 1621 13 163; 1621 13 500, reporting numbers from 2019: 162112001, 162112002, 162112003, 162113160, 162114190, 162114500, converted and summarised in tonnes