Results - Overview 1/4

Current Results

Modelling different scenarios in our database, we finally calculated the following numbers for Germany's emissions in 2030:

Table 3: Overview of projected 2030 emissions


Projections for the year 2030	NO _x	SO ₂	NMVOC	NH ₃	PM _{2.5}
With measures	500.9 kt	138.4 kt	763.8 kt	434.2 kt	75.4 kt
Tightening of the emission limits of the Ecodesign Regulations (EU) 2015/1185 and (EU) 2015/1189					-0.8 kt
[optional] Amendment of 13 th BlmSchV					
With additional measures	500.9 kt	138.4 kt	763.8 kt	434.2 kt	74.6 kt

With these numbers, Germany will meet its reduction commitments for all pollutants in 2030 in both scenarios.


The following figures show the developments for each pollutant in the WM and WAM scenarios (WAM only for NO_x and $PM_{2.5}$ as there are no differences between both scenarios for all other pollutants). In addition, the reduction commitments for 2020 to 2029 and from 2030 onwards as well as the indicative linear reduction path are shown. Please note that projected emissions were only calculated for the years 2025, 2030, 2035, 2040, 2045 and 2050. A linear reduction in the years between cannot be assumed, but is shown in the graphs just for illustrative reasons.




Results - Overview 2/4




Please note that projected emissions were only calculated for the years 2025, 2030, 2035, 2040, 2045 and 2050. A linear reduction in the years between cannot be assumed but is shown in the graphs just for illustrative reasons.



Results - Overview 3/4



Please note that projected emissions were only calculated for the years 2025, 2030, 2035, 2040, 2045 and 2050. A linear reduction in the years between cannot be assumed but is shown in the graphs just for illustrative reasons.



Results - Overview 4/4

