Method

1.A.2.g viii - Stationary Combustion in Manufacturing Industries and Construction: Other

Short description

PS

М

Plant Specific Model / Modelled


Confidential

Category Code

Source category 1.A.2.g viii - Stationary Combustion in Manufacturing Industries and Construction: Other comprises stationary combustion systems for heat and power production of industrial power plants and industrial boiler systems.

AD

		Γ2					NS					C:	5		
NO _x	NMVOC	SO ₂	NΗ₃	PM _{2.5}	PM ₁₀	TSI	PBC	CO	Pb	Cd	Нg	Diox	PAH	I HC	B
L/T	-/-	L/T	-/-	L/-	-/-	L/T	- -/-	-/-	-/-	L/T	L/T	L/T	-/T	-/-	-
lied															
	l	Defau	lt												
	-	Γier 1	/ Si	mple I	4etho	dolo	gy *	:							
		Tier 3	/ De	etailed	Meth	odc	logy	*							
				pecific	:										
		A Em	issic	n Inve	entory	Gu	ideb	ook	- 20	19,	in c	ateg	ory ch	napt	ers
tivit															
					atistic	S									
		•				es (or su	rvey	/s)						
	ļ!	Mode	/ M	odelle	d										
		Confi	dent	ial											
nissi	on Facto	ors													
	ļ.	Defau	lt (E	MEP C	Guidel	oook	()								
	- 0	Count	ry S	pecific	2										
	L/T lied	NOx NMVOC L/T -/- lied the EMEP/EE tivity Data	L/T -/- L/T lied Defau Tier 1 Tier 2 Tier 3 CORIN Count Model n the EMEP/EEA Em etivity Data Nation Regio Intern Plant Assoc specif Model Confice confice mission Factors Defau	NOx NMVOC SO2 NH3 L/T -/- L/T -/- lied Default Tier 1 / Si Tier 2* Tier 3 / De CORINAIR Country S Model the EMEP/EEA Emission rivity Data National S Regional S Regional S Internation Plant Specific Q Model / M Confident nission Factors Default (E	NOx NMVOC SO2 NH3 PM2.5 L/T -/- L/T -/- L/- lied Default Tier 1 / Simple N Tier 2* Tier 3 / Detailed CORINAIR Country Specific Model Athe EMEP/EEA Emission Inventivity Data National Statisti Regional Statisti International Statisti International Statisti Plant Specific Associations, buspecific Question Model / Modelle Confidential nission Factors Default (EMEP Continue)	NOx NMVOC SO2 NH3 PM2.5 PM10 L/T -/- L/T -/- L//- L//- lied Default Tier 1 / Simple Methor Tier 2* Tier 3 / Detailed Methor CORINAIR Country Specific Model the EMEP/EEA Emission Inventory tivity Data National Statistics Regional Statistics International Statistics International Statistics Plant Specific Associations, busines specific Questionnair Model / Modelled Confidential	NOx NMVOC SO2 NH3 PM2.5 PM10 TSI L/T -/- L/T -/- L//- L//- L/T lied Default Tier 1 / Simple Methodolo Tier 2* Tier 3 / Detailed Methodolo CORINAIR Country Specific Model the EMEP/EEA Emission Inventory Gu etivity Data National Statistics Regional Statistics International Statistics Plant Specific Associations, business or specific Questionnaires (Model / Modelled Confidential nission Factors Default (EMEP Guidebook	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC L/T -/- L/T -/- L//- L//- L/T -/- lied Default Tier 1 / Simple Methodology * Tier 2* Tier 3 / Detailed Methodology CORINAIR Country Specific Model the EMEP/EEA Emission Inventory Guidebook ctivity Data National Statistics Regional Statistics International Statistics Plant Specific Associations, business organic specific Questionnaires (or su Model / Modelled Confidential nission Factors Default (EMEP Guidebook)	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO L/T -/- L/T -/- L//- L/T -//- lied Default Tier 1 / Simple Methodology * Tier 2* Tier 3 / Detailed Methodology * CORINAIR Country Specific Model the EMEP/EEA Emission Inventory Guidebook ctivity Data National Statistics Regional Statistics International Statistics Plant Specific Associations, business organisation specific Questionnaires (or survey Model / Modelled Confidential nission Factors Default (EMEP Guidebook)	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO Pb L/T -/- L/T -/- L//- L//- L/T -///- lied Default Tier 1 / Simple Methodology * Tier 2* Tier 3 / Detailed Methodology * CORINAIR Country Specific Model the EMEP/EEA Emission Inventory Guidebook - 20 ctivity Data National Statistics Regional Statistics International Statistics Plant Specific Associations, business organisations specific Questionnaires (or surveys) Model / Modelled Confidential nission Factors Default (EMEP Guidebook)	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO Pb Cd L/T -/- L/T -/- L//- L/T -//- L/T lied Default Tier 1 / Simple Methodology * Tier 2* Tier 3 / Detailed Methodology * CORINAIR Country Specific Model National Statistics Regional Statistics International Statistics Plant Specific Associations, business organisations specific Questionnaires (or surveys) Model / Modelled Confidential nission Factors Default (EMEP Guidebook)	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO Pb Cd Hg L/T -/- L/T -/- L//- L//- L/T -//- L/T L/T lied Default Tier 1 / Simple Methodology * Tier 2* Tier 3 / Detailed Methodology * CORINAIR Country Specific Model National Statistics Regional Statistics Regional Statistics International Statistics Plant Specific Associations, business organisations specific Questionnaires (or surveys) Model / Modelled Confidential nission Factors Default (EMEP Guidebook)	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO Pb Cd Hg Diox L/T -/- L/T -/- L//- L//- L/T -//- L/T L/T L/T lied Default Tier 1 / Simple Methodology * Tier 2 * Tier 3 / Detailed Methodology * CORINAIR Country Specific Model the EMEP/EEA Emission Inventory Guidebook - 2019, in categoritivity Data National Statistics Regional Statistics Regional Statistics Plant Specific Associations, business organisations specific Questionnaires (or surveys) Model / Modelled Confidential Confidential Confision Factors Default (EMEP Guidebook)	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO Pb Cd Hg Diox PAH L/T -/- L/T -/- L//- L/T -/- L/T -/- L/T L/T L/T L/T -/- lied Default Tier 1 / Simple Methodology * Tier 2* Tier 3 / Detailed Methodology * CORINAIR Country Specific Model the EMEP/EEA Emission Inventory Guidebook - 2019, in category characteristics Regional Statistics International Statistics Plant Specific Associations, business organisations Specific Questionnaires (or surveys) Model / Modelled Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confidential Confi	NOx NMVOC SO2 NH3 PM2.5 PM10 TSP BC CO Pb Cd Hg Diox PAH HC L/T -/- L/T -/- L//- L//- L/T -//- L/T L/T L/T L/T -// lied Default



Method

Generally, the calculation method is based on a Tier 2 approach. This means the use of country-specific data at a more detailed level. Emission factors and activity data are available for different fuel types, different technologies, plant size, etc. The use of plant-specific data for a bottom-up approach is not possible. Emissions from industrial power plants cannot be allocated clearly to source category 1.A.2, since reality does not follow the definition of the Guidebook. In real life an industrial power plant generates electricity and heat for the industry but also electricity for the public network. Therefore the borderline between these two categories is not fixed. The market is not static. Frequent changes in the cooperate structure of industrial enterprises including the separation of the energy supply via spin-off from the parent company lead to frequent changes between sector 1.A.1.a, 1.A.1.c and 1.A.2. Therefore it was necessary to develop a flexible calculation system, based on robust emission factors, which can be used for all sectors. Source category 1.A.2.g.viii does only include emissions from industrial power plants and boiler systems.

Activity data

Conventional fuels

The key source of all conventional fuel data is the national energy balance (AGEB, 2021)¹⁾. Moreover the use of additional statistical data is necessary in order to disaggregate data. Data source for fuel inputs for electricity generation in industrial power stations are shown in Energy Balance line 12. The difference resulting after deduction of the fuel inputs for refinery power stations, pit power stations, power stations in the hard-coal-mining sector and, for the period until 1999, for the power stations of German Railways (Deutsche Bahn) consists of the activity data for other industrial power stations. These data cannot be further differentiated. Additional data from the Federal Statistical Office are needed for allocation of fuel inputs to heat production in industrial power stations and boiler systems. For both electricity production and heat production, gas turbines, gas and steam systems and gas engines are differentiated. These detailed information is provided by the national statistic 067 (industrial power stations). The definition of industrial and public power plants follows the National statistics.

Biomass

Along with the main Energy Balance, a Satellite Balance of renewable Energies (Satellitenbilanz Erneuerbarer Energieträger) is also published. This balance describes the growth and use of renewable energies in detail. This is the database for all biomass fuels excluding waste.

Waste

With regard to determination of activity data from waste incineration and co-combustion of waste in combustion system in source category 1.A.2 Energy Balance and energy statistics show smaller waste quantities than the waste statistics of the Federal Statistical Office (Statistisches Bundesamt, Fachserie 19, Reihe 1) ²⁾. For that reason activity data were taken from waste statistics.

Emission factors

The emission factors for power stations and other boiler combustion for production of steam and hot water, in source category 1.A.2.g.viii, have been taken from the research project "Determination and evaluation of emission factors for combustion systems in Germany for the years 1995, 2000 and 2010" (RENTZ et al., 2002)³⁾. In 2018 and 2019 SO_2 , NOx, TSP, PM, CO, NH₃ and Hg emission factors were revised for all large combustion plants by using data from the large combustion plant reporting (UBA 2019)⁴⁾. A detailed description of the procedure is presented in Chapter: 1.A.1.a - Public Electricity And Heat Production. This chapter contains also information about emission factors of engines and waste incineration plants. In terms of black carbon default emission factors for the EMEP EEA Guidebook 2019 are used.

Table 1: Implied emission factors for industrial electricity and heat generation

	SO _x	NO _x	TSP	СО	Pb	Hg	Cd
		[kg/	[g/TJ]				
Hard Coal	145.5	101.3	3.4	26.3	4.57	2.35	0.36
Lignite	217.5	96.9	7.0	47.3	1.19	2.43	0.16
Natural gas	0.1	41.5	0.2	11.2	NA	0.01	NA
Petroleum products	48.9	48.0	1.6	3.2	0.73	0.25	0.07
Biomass	9.9	137.1	18.6	55.8	0.48	0.12	0.60
Hazardous Waste	0.5	69.2	0.3	8.3	4.90	0.34	1.10


The table gives an overview of the implied emission factors. In reality the German inventory compiling process is very complex and includes the use of a considerable number of emission factors, which cannot be published completely in the IIR.

Actually there are different emission factors available for diverse fuel types, various techniques and licensing requirements. However, the implied emission factor may give an impression about the order of magnitude. PM_{10} and $PM_{2.5}$ emission factors are calculated as a fraction of TSP. The share of PM_{10} is 90 % and the share of $PM_{2.5}$ is 80 % for solid fuels. This is a simple but also conservative approach, knowing that, in reality, PM emissions depend on fuel, combustion and abatement technologies. In terms of natural gas and biogas PM_{10} and $PM_{2.5}$ fractions are considered as 100 % of TSP. Regarding wood a share of 100% PM_{10} and 90% $PM_{2.5}$ is used. For liquid fuels the default share of 100% PM_{10} and $PM_{2.5}$ is used. In the cases of co-incineration, where liquid fuels are only used for ignition in coal fired plants, the share of coal fired plants is used. PM emission reporting starts in 1995, since no sufficient information about the dust composition of the early 1990s is available.

Trend Discussion for Key Sources


The following diagrams give an overview and assistance for explaining dominant emission trends of selected pollutant.


Sulfur Oxides & Nitrogen Oxides - SOx & NOx



Like already discussed in source category 1.A.1.c, SO_x emission trend is very much influenced by emissions from lignite fired plants. The strong decline of lignite use in the East German industry and the installation of flue gas desulfurisation plants in the remaining heat and power stations are the main reasons for decreasing SO_x emissions.


Total Suspended Matter - TSP & Priority Heavy Metal - Hg & Cd





The main driver of TSP and Heavy Metal emission trends is the declining lignite combustion in the East German industry especially in the time period from 1990 to 1994. Besides the noticeable improvement of dust extraction installations on the one hand and optimisation of the combustion process on the other hand resulted in considerably decreasing TSP and Heavy Metal emissions. The emission trend of source category 1.A2.g.viii is mainly affected by the closure of industrial plants in Eastern Germany after the reunification and the resulting decrease in fuel consumption. In recent years the use of biomass gains influence.

Persistent Organic Pollutants



PCDD and PCDF emissions show a falling trend over the whole time period due to decreasing fuel consumption in the industry sector.

Recalculations

Recalculations were necessary for 2019 due to the implementation of the now finalised National Energy Balance.



For pollutant-specific information on recalculated emission estimates for Base Year and 2019, please see the pollutant specific recalculation tables following chapter 8.1 - Recalculations.

Planned improvements

Currently no improvements are planned.

¹⁾ National energy balance and Satellite balance for renewable energy: https://ag-energiebilanzen.de/en/data-and-facts/energy-balance-2000-to-2019/

²⁾ Statistisches Bundesamt, Fachserie 19, Reihe 1: Abfallentsorgung - URL: http://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Umwelt/Abfallwirtschaft/ inhalt.html#sprg238672

³⁾ Rentz, O.; Karl, U.; Peter, H.: Ermittlung und Evaluierung von Emissionsfaktoren für Feuerungsanlagen in Deutschland für die Jahre 1995, 2000 und 2010: Forschungsbericht 299 43 142; Forschungsvorhaben im Auftrag des Umweltbundesamt; Endbericht; Karlsruhe: Deutsch-Französisches Inst. f. Umweltforschung, Univ. (TH); 2002

⁴⁾ Umweltbundesamt, 2019: Kristina Juhrich, Rolf Beckers: "Updating the Emission Factors for Large Combustion Plants": https://www.umweltbundesamt.de/publikationen/updating-emission-factors-large-combustion-plants