# **5.B.1 - Biological Treatment of Waste: Composting**

# **Short description**

Within NFR category **5.B.1**, ammonia (NH<sub>3</sub>) emissions from composting of organic wastes are reported.

NFR Code				Metl	hod			AD		EF		
5.B.1				CS	5			NS		CS		
Met	Method(s) applied											
D				Defa	Default							
	T1				Tier 1 / Simple Methodology *							
T2				Tier	Tier 2*							
Т3				Tier	Tier 3 / Detailed Methodology *							
С					CORINAIR							
	CS				Country Specific							
	M			1 10 0	Model							
* as described in the EMEP/EEA Emission Inventory Guidebook - 2019, in category chapters.												
(source for) Activity Data												
NS					National Statistics							
RS				Regi	Regional Statistics							
IS				11112	International Statistics							
PS					Plant Specific							
As				_	Associations, business organisations							
Q					specific Questionnaires (or surveys)							
M				_	Model / Modelled							
С					Confidential							
(so	urce for) E	miss	ion Fa									
	D			_	Default (EMEP Guidebook)							
	C				Country Specific							
PS				_	Plant Specific							
M				_	Model / Modelled							
	C				Confidential							
NO <sub>x</sub>	NMVOC	SO <sub>2</sub>	NH₃	PM <sub>2.5</sub>	PM <sub>10</sub>	TSP	ВС	CO	Heavy Metals	POPs		
NA		NA	-/-	NA	NA	NA	NA	NA	NA	NA		
L/-	key source	by <b>L</b> e	evel on	ly								
_	key source											
L/T	key source	by bo	th <b>L</b> ev	el and	<b>T</b> rend							
	-/- no key source for this pollutant											
_	IE emission of specific pollutant Included Elsewhere (i.e. in another category)											
	NE emission of specific pollutant <b>N</b> ot <b>E</b> stimated (yet)											
_	specific pol	lutant	not e					or act	ivity = Not App	licable		
*			* no analysis done									

Separately collected organic waste (biowaste) from e.g. households, public garden and park service, food industry, restaurants, canteens and from agriculture can be treated in two different ways: aerobic treatment (composting) and anaerobic treatment (biogas production).

The aim of the treatment is the production of compost, leading to the recycling of nutrients and organic matter.

The produced compost is used as fertilizer or soil improver in agriculture or horticulture and also in private gardening. In Germany about two thirds of the organic waste is treated in composting plants and ammonia  $(NH_3)$  is an important emission to air.

## Method

Emissions from composting are not a key source and of minor priority.

## **Activity Data**

Official statistical data (Statistisches Bundesamt, Fachserie 19, Reihe 1: Abfallentsorgung (Waste management), Table 2.1; <sup>1)</sup>) are used for the estimation. The data are published on a yearly basis with an exception for the actual year of reporting. The activity data for the actual year of reporting are obtained, initially, by carrying the relevant data from the previous year forward, in unchanged form. In the following year, when the actual activity data for the given year becomes available, they replace the data that were carried forward. This procedure has only a very small impact on the total emissions in the relevant current report year.

#### **Emission factors**

The emission factor used for calculating  $NH_3$  emissions is based on emission data from a research project <sup>2)</sup>. The  $NH_3$ -EF is 222 g/t and used for the whole time series. The use of abatement technologies (such as biofilters) are taken into account.

# **Uncertainties**

The AD from Statistisches Bundesamt have an uncertainty of  $\pm 2\%$  whereas the uncertainty for the EF is -59/+130% (ibid.).

## Recalculations

When preparing the current inventory data, statistical data are only available for the previous reporting year, as the Federal Statistical Office's waste statistics are one year behind schedule. The current reporting year must therefore be extrapolated on the basis of the previous year. The result of this approach is revised by the correct data in the following year. For this reason, annual recalculations are required for the previous year.

Table 1: Revised biowaste activity data, in [kt]

	2021
current submission	9.021
previous submission	9.117

Table 2: Accordingly revised NH₃ emissions, in [t]

	1990	1991	1992	2020
current submission	336	402	467	2.028
previous submission	161	336	434	1.955



For pollutant-specific information on recalculated emission estimates for Base Year and 2020, please see the recalculation tables following chapter 8.1 - Recalculations.

# **Planned improvements**

Currently no improvements are planned.

https://www.umweltbundesamt.de/publikationen/ermittlung-der-emissionssituation-bei-der; im Auftrag des Umweltbundesamtes, April 2015

<sup>&</sup>lt;sup>1)</sup> Statistisches Bundesamt, Fachserie 19, Reihe 1: Abfallentsorgung; Wiesbaden; URL: https://www.destatis.de/DE/Publikationen/Thematisch/UmweltstatistischeErhebungen/Abfallwirtschaft/Abfallentsorgung.html

<sup>&</sup>lt;sup>2)</sup> Carsten Cuhls, Birte Mähl, Joachim Clemens; gewitra Ingenieurgesellschaft für Wissenstransfer mbH: Ermittlung der Emissionssituation bei der Verwertung von Bioabfällen;