5.D.2 - Industrial Wastewater Handling


Short description

Category Code	Method				AD					EF						
5.D.2			T1	T1			NS				D					
	NOx	NMVO	C SO ₂	NH3	PM _{2.5}	PM ₁₀	TSP	BC	CO	b C	d	Hg	Diox	PAH	I H	СВ
Key Category:	-	-/-	-	-	-	-	-	-	-	-	-	-	-	-		-
Method(s) app	lied															
D			Defa	ult												
T1			Tier	1 / Si	mple	Metho	dolog	ју *								
T2			Tier 2*													
Т3			Tier	Tier 3 / Detailed Methodology *												
С			COR	CORINAIR												
CS			_	Country Specific												
М				Model												
* as described in				nissio	on Inve	entory	' Guic	lebo	ook -	201	9, i	n c	atego	ory cl	hap	ter
(source for) Ac		y Data	_													
NS					Statist											
RS					Statist											
IS				International Statistics												
PS			Plant Specific													
As			Associations, business organisations													
Q				specific Questionnaires (or surveys)												
M				Model / Modelled												
C				Confidential												
(source for) Er	nissi	on Fac														
D				Default (EMEP Guidebook)												
CS				Country Specific												
PS				Plant Specific												
M				Model / Modelled Confidential												
C			Conf	ident	ial											

In category **5.D.2**, <u>NMVOC emissions</u> from industrial wastewater handling are reported. The industrial section is covered by wastewaters from industrial processes. Main sectors are chemical industries, iron & steel industries, power generation, Food sector, Paper & Cardboard-production and "Other"-Industrial processes.

Method

Emissions reported under this category are calculated using the Tier 1 approach of the EMEP/EEA Guidebook 2019, where the emission factor (EF) is 15 mg/m³ wastewater (Part B, 5.D, chap. 3.2.2, Table 3-1, p. 7¹). This EF is multiplied with the total amount of wastewater (AD) treated in industrial wwt-plants, following the equation:



Total volumes of treated industrial wastewater are derived by the German statistical agency (Statistisches Bundesamt, Umweltnutzung und Wirtschaft. Tabellen zu den Umweltökonomischen Gesamtrechnungen. Teil 4: Wassereinsatz, Abwasser. Table 7.7²). The availability of the data starts in 1991 with new data for every following year, until 2001. Until then the data source is published on a three-year basis with new data only for the respective year of the update. Missing data are interpolated. Since the Wastewaterstatistic has not been updated since 2016, the data for Chemical Industry and Paper&Cardboard has been extrapolated until 2017 on the basis of an expert judgment, assuming for the Chemical Industry a yearly reduction of 1% and for Paper&Cardboard of 1,5%. For the remaining industries expert-judgement concluded that constant values since 2016 are deemed to be most probable.

Emisson factors

See method.

It should be noted that the described default emission factor was collected in Turkey for municipal wastewater treatment plants under specific climatic conditions in developing countries. The wastewater characteristics of the considered industries sometimes differ significantly from municipal wastewater.

Uncertainties

The AD from Statistisches Bundesamt have an uncertainty of $\pm 3\%$ (normal distribution) whereas the uncertainty for the EF, due to its range (5/50 mg/m³), is -70 / +210 % and the distribution lognormal.

Recalculations

As given above, the activity data for Chemical Industry and Paper & Cardboard have been recalculated according to the following tables:

Table 1: Revised volume of treated wastewater, in [m³]

		2017	2018	2019	2020
Chamical Inductor	current submission	254.395.036	251.851.086	249.332.575	246.839.249
Chemical Industry	previous submission	256.964.683	256.964.683	256.964.683	256.964.683
Dapar & Cardboard Costor	current submission	196.996.966	194.042.012	191.131.382	188.264.411
Paper & Cardboard Sector	previous submission	199.996.920	199.996.920	199.996.920	199.996.920

Table 2: Revised TOW, in [kt]

	2017	2018	2019	2020
current submission	1.337	1.323	1.310	1.296
previous submission	1.350	1.350	1.350	1.350

Table 3: Accordingly revised NMVOC emissions, in [kt]

	2017	2018	2019	2020
current submission	12,9152306	12,8327471	12,7513100	12,6709055
previous submission	12,9987747	12,9987747	12,9987747	12,9987747



For **pollutant-specific information on recalculated emission estimates for Base Year and 2020**, please see the recalculation tables following chapter 8.1 - Recalculations.

Planned improvements

Currently no improvements are planned.

¹⁾ EMEP/EEA, 2019: EMEP/EEA air pollutant emission inventory guidebook 2019, Copenhagen, 2019

²⁾ Statistisches Bundesamt, Umweltnutzung und Wirtschaft. Tabellen zu den Umweltökonomischen Gesamtrechnungen. Teil 4: Wassereinsatz, Abwasser. Table 7.7