

# EXECUTIVE SUMMARY

## About this report

The Informative Inventory Report (IIR) is providing complementary information to Germany's air pollution inventories under the Geneva Convention on Long-range Transboundary Air Pollution of the United Nations Economic Commission for Europe (UNECE/CLRTAP) as well as the EU's National Emission Ceiling Directive (NECD).

Germany's air pollution inventory includes emission data in consistent time-series ranging from 1990 (1995 for PM<sub>10</sub>, PM<sub>2.5</sub> and 2000 for Black Carbon) to the latest reported year for all 26 air pollutants or groups of air pollutants (NO<sub>x</sub>, NMVOC, PCDD/PCDF) considered under UNECE reporting.

This report provides a comprehensive analysis of the inventory data, descriptions of the methods applied, data sources, and carried out QA/QC procedures. It follows the outline established by the latest guidelines for estimating and reporting of emission data and all data presented in this report were compiled according to those same guidelines.

However, this report does *not* provide a comprehensive discussion on air pollution or the measures and politics dealing with it. Such information is included in the published national programs for further emission reductions, e.g. under the NEC directive or the trend and projection reports for green-house gases. Instead, it provides a detailed insight on the process of air pollution and emission inventory preparation. The focus lies on the methods and assumptions used for the German emission reporting and to underpin the "technical" review of the emission data as reported under the CLRTAP convention and its protocol.

## Air pollution trends in Germany


Air pollution in Germany declined significantly over the last few decades. As the figure below illustrates, emissions decreased sharply for most pollutants monitored in the time from 1990 onwards.

Especially in the 1990s, big improvements have been achieved due to the re-organisation of the former East German economy after the re-unification and the measures applied to German industry. One basic reason is the fuel switch in the former eastern part of Germany, i.e. the replacement of lignite by gaseous and liquid fuels.

A decrease of emissions is seen for all pollutants, though progress varies: Sulphur dioxide and TSP (total suspended particles), for example, saw a rapid decline in the early 1990s while the decrease of other pollutant's emissions developed more or less linear. Values for particulate matter are measured and calculated since 1995 and reveal a slow though steady improvement.

## Air Pollutants / Luftschadstoffe

### Emission Trends / Emissionstrends



\* Base Year (BY) 1990, 1995 for PM10/PM2.5 / Basisjahr (BJ) 1990, 1995 für Feinstaub  
 \*\* Black Carbon emissions from 2000 / Black Carbon Emissionen erst ab 2000


Quelle: German Emission Inventory (15.02.2025)

Nevertheless, the above figure also illustrates that for certain pollutants (namely ammonia, sulphur dioxide, and total suspended particles) only moderate progress can be observed since 2000. This particularly holds true for the development of ammonia, where recent years saw steady or even increasing emissions.

For heavy metal and POP (Persistent Organic Pollutants) emissions, the picture is far more heterogeneous: While the release of these substances generally declined, some trends appear to be less favourable. Generally, data completeness and inventory compatibility remains an issue for these pollutants. For the three priority heavy metals cadmium, mercury, and lead, however, very significant reductions have been achieved in the 1990s (see figure below).

## Priority Heavy Metals / Prioritäre Schwermetalle

### Emission Trends / Emissionstrends



All trends are analysed and explained in detail in the [Chapter 2 - Explanation of Key Trends](#).

## Major improvements compared to last submission

For details, refer to the chapters on [Chapter 9.2 - Improvements](#) and [Chapter 9.1 - Recalculations](#).

## Completeness

With respect to all major air pollutants, the German inventory is generally considered complete. In contrast, for heavy metals and persistent organic pollutants there are still quite a few missing bits and pieces.

For more information, refer to chapter [1.8 General Assessment of Completeness](#).

Completeness of the German inventory can also be assessed by referring to the data submission. All cells marked “NE” (not estimated) within the NFR tables do indicate missing information.

## Priorities for further improvement

For an overview on major improvements introduced with the current submission or planned for future submissions please refer to [Chapter 8.2 - Improvements](#).

Most notably, Germany will seek to improve the completeness of the report, in particular regarding heavy metals and

persistent organic pollutants. Moreover, we will continue to provide a comprehensive and up-to-date IIR.

## Structure of this report

This report does not provide a comprehensive discussion on air pollution or the measures and politics dealing with it. This type of information is included in the published national programs for further emission reductions, e.g. under the NEC directive or the trend and projection reports for green-house gases. Instead, it provides a detailed insight on the process of air pollution and emission inventory preparation. The focus lies on the methods and assumptions used for the German emission reporting. The report is intended to underpin the “technical” review of the emission data as reported under the CLRTAP convention and its protocol.

Thus, the [outline of this report](#) follows the recommendations of the CLRTAP emission reporting guidelines.